Form 3160-3 (November 1983) (formerly 9-331C)

UNITED STATES

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985


DEPARTMENT OF THE INTERIOR

(lormerly 9-331C)	DEPARTMENT	OF THE INTER	IOR		5. LEASE DESIGNATION A	ND BEEIAL NO.
		LAND MANAGEMEN			U-41377	
A DDI ICATION	N FOR PERMIT T			ACK	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
1a. TYPE OF WORK	TOR TEMPOR				7. UNIT AGREEMENT NA	
DR	ILL 🛛	DEEPEN 🗆	PLUG BA	CK 🗀	n/a	
b. TYPE OF WELL	A5 [7]		NGLE MULTIP	LB	8. FARM OR LEASE NAM	3
OIL WELL W	ELL OTHER			TIDI	Balcron Coyote	: Federal
	SOURCES ENERGY C	ΊΜΡΔΝΥ			9. WELL NO.	
3, ADDRESS OF OPERATOR	DORCES ENERGY O	Oni Ait			13-7	
P.O. Box 2101	17: Billinas, MT	59104			10. FIELD AND POOL, OF	
4. LOCATION OF WELL (F	17; Billings, MT teport location clearly and	in accordance with any S	tate requirements.*)		Coyote Basin/(
	FSL, 660' FWL				11. SEC., T., R., M., OR E AND SURVEY OF AR	EA
At proposed prod. 20				`	YALL CH COO 7	TQC 025F
	AND DIRECTION FROM NEAR	TOWN OF POST OFFICE			NW SW Sec. 7	
			•		Uintah	UTAH
15. DISTANCE FROM PROF	outheast of Vern	16. NO	OF ACRES IN LEASE	17. NO.	OF ACRES ASSIGNED	· · · · · · · · · · · · · · · · · · ·
LOCATION TO NEARES	IT Line, pt.			10 2	this WELL 40	
(Also to nearest dr.	lg. unit line, if any)	19. ri	OPOSED DEPTH	20. ROT	ARY OR CABLE TOOLS	
TO NEAREST WELL, OR APPLIED FOR, ON T	DRILLING, COMPLETED,	4	,480' (FRRV	Rota	ary	
21. ELEVATIONS (Show W	hether DF, RT, GR, etc.)	<u> </u>			22. APPROX. DATE WO	
GL	5,519.43'				September 1	<u>, 1992</u>
23.	1	PROPOSED CASING AND	CEMENTING PROGR	AM.		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	BETTING DEPTH		QUANTITY OF CEME!	er .
12-1/4"	8-5/8"	24#	260'		sx G w/add	·
7-7/8"	5-1/2"	15.50#	4,480'	_ _See_	Drilling Progra	ım
SEE ATTACHE	ED EXHIBITS	•		1-1-1-3		
W4W DD0D00	TEN DOTELLING DOO	^ D A M		2/2	CBUV 511	1
"A" PROPOS	SED DRILLING PRO SED SURFACE USE			Land Assessed	300	
	GIC PROGNOSIS	NOGIVIII		· N	IAY 1 4 1592	
"D" DRILL	ING PROGRAM			17	IAT 1 4 1774	
"E" DRILL	PAD AND RIC LA	YOUT (plats 1 a	nd 2)	r,	IVISION OF	
	ION SITE AND ELE				GAS & MINING	
"G" EVIDEI	NCE OF BOND COVE	RAGE		O:L	amo a mining	
.SELF CERTIFICATIO	N: I hereby certify	that I am authoriz	ed, by proper leas	e intere	st owner, to conduc	ic inese
operations associ	ated with the applic	ation. Bond covera	ige pursuant to 43	CFK 3104	ance Company of Ame	es is exica as
being provided by	Equitable Resources Bond No. MT 0576 (Na	tionwide Oil & Cas	Bond #5547188) who	vrill be	responsible for C	moliance
with all of the t	portu No. Pil 0570 (No	of that portion of	the lease associat	ed with	this application.	
MIGHT OF CHE CHE THE CHE	erms and conditions HE PROFOSED PROGRAM: If to drill or deepen directlos	proposal is to deepen or	plug back, give data on	present pr	oductive sone and propos red and true vertical dep	ed new productive ths. Give blowout
zone. If proposal is preventer program, if	to gill or deeben direction	ally, give pertinent data	AU SADSCITAGE IOCUMOUS			. <u></u>
24.		Co	ordinator of E	nviron	nental M.	14 13.1992
)		C C	. J // /J	ノル・ヘラ・ノケブダ

TITLE and Regulatory Affairs APPROVED BY THE STATE APPROVAL DATE _ PERMIT NO. TITLE

*See Instructions On Reverse Side

T8S, R25E, S.L.B. & M.



5265.88°

X = SECTION CORNERS LOCATED

BASIS OF BEARINGS; G.L.O. PLAT 1911

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (DINOSAUR NORTHWEST)

EQUITABLE RESOURCES ENERGY CO.

WELL LOCATION, COYOTE FED. 13-7, LOCATED AS SHOWN IN THE NW 1/4 SW 1/4 OF SECTION 7, T8S, R25E, S.L.B. & M, UNITA COUNTY UTAH.



N 0°01

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ANY AND SURVEYS MADE BY ME OR UNDER A SUPERVISION ON THAT THE SAME ARE TRUE AND CORRECT TO THE SEST OF MY KNOWLEDGE AND BOLLEF.

REGISTERS DINO SURVEY REGISTRATE OF UNIT E OF

TRI STATE LAND SURVEYING & CONSULTING 38 EAST 100 NORTH, VERNAL, UTAH 84078 (801) 781-2501

SCALE: 1" = 1000' SURVEYED BY: SS KH

DATE: 3/30/92 WEATHER: CLEAR & WARM

FILE # COYOTE FED 13-7

EXHIBIT "A"
Proposed Drilling Program
Page 1

EQUITABLE RESOURCES ENERGY COMPANY Balcron Oil Division Balcron Coyote Federal #13-7 NW SW Section 7-T8S-R25E Uintah County, Utah

In accordance with requirements outlined in 43 CFR 3162-3.1 (d):

1. ESTIMATED IMPORTANT GEOLOGICAL MARKERS:

See Geologic Prognosis

2. ESTIMATED DEPTHS OF ANTICIPATED OIL, GAS OR WATER:

See Geologic Prognosis (see EXHIBIT "C)

- 3. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:
 - a. Schematics of the BOP equipment and choke manifold will be provided as soon as a drilling contractor has been chosen. The BOPE will be installed after setting 8-5/8" casing at 260'. The blind rams and pipe rams will be tested to 1500 psi. The annular preventer will be tested to 500 psi. Pipe rams will be operationally checked each 24-hour period and blind rams each time pipe is pulled out of the hole.
 - b. The BOPE layout will be provided as soon as a drilling contractor is chosen. The BOPE will be tested to 1500 psi when initially installed, whenever any seal subject to test pressure is broken, and following related repairs. The pipe and blind rams will be activated at least weekly and on every trip the pipe and blind rams will be activated.
 - c. An accumulator of sufficient capacity to open the hydraulically-controlled choke valve lines (if so equipped), close all rams plus the annular preventer, and retain a minimum of 200 psi above precharge on the closing manifold without the use of the closing unit pumps will be installed during the drilling of this well.
 - d. An upper kelly cock will be used during the drilling of this well.
 - e. Visual mud monitoring equipment will be used to detect volume changes indicating loss or gain in circulating fluid volume.
 - f. Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control.

EXHIBIT "A"
Proposed Drilling Program
Page 2

4. PROPOSED CASING AND CEMENTING PROGRAM:

- a. Surface casing will be set in the Duchesne River formation to approximately 260' and cemented to surface.
- b. All potentially productive hydrocarbon zones will be isolated.
- c. Casing designs are based on factors of burst: 1.25, collapse: 1.125, and joint strength: 1.8.
- d. All casing strings will be pressure tested to 0.22 psi/ft. of casing string length or 1500 psi whichever is greater (not to exceed 70% of yield).
- E. For details of casing, cement program, drilling fluid program, and proposed mud program, see the following two attachments:

Drilling Program (EXHIBIT "D")
Geologic Prognosis (EXHIBIT "C")

5. HAZARDOUS PRESSURES, TEMPERATURES, FLUIDS/GASSES EXPECTED:

- a. Expected bottom hole temperature is 125 degrees F. Expected bottom hole pressure is 1500 psi.
- b. No abnormal pressures or temperatures have been noted or reported in wells drilled to the Green River formation in this area.
- c. No dangerous levels of hydrogen sulfide, hazardous fluids, or gasses have been found, reported, or known to exist at the depth to be drilled in this well, in this area.

6. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

- a. The drilling operations for this well will begin as soon as the BLM approves all requirements included in this APD.
- b. These drilling operations should be completed within 12 days after spudding the well depending on weather conditions.
- c. If the well is productive, a sundry notice and plat showing exact installed facilities will be submitted.
- d. If this well is non-productive, a sundry notice will be filed with the BLM District Office within 30 days following completion of the well for abandonment.

Multi-Point Surface Use and Operations Plan

1. Existing Roads: Refer to Maps "A" & "B" (shown in RED)

- A. The proposed well site is staked and four reference stakes are present. 175' & 225' E and 200' & 250'S
- B. The Coyote Federal #13-7 is located approximately 35 miles Southeasterly from Vernal Utah, in the NW1/4, SW1/4, Section 7, T8S, R25E, SLB&M, Uintah County, Utah. To reach the 33-5, proceed East from Vernal, Utah along U.S. Highway 40 for 24 miles to the junction of this highway and Utah State highway 45; Proceed South along Utah State Highway 45 approximately 10.8 miles to the proposed access road sign. Follow flags 100' to location.
- C. Access roads refer to Maps "A" and "B".
- D. Access roads within a one-mile radius refer to Map "B".
- E. The existing roads will be maintained in the same or better condition as existed prior to the commencement of operations and said maintenance will continue until final abandonment and reclamation of the well location.

2. Planned Access Roads: Refer to Map "B" (shown in GREEN)

Approximately 100 feet of new road construction will be required for access to the proposed well location.

- A. Width maximum 30-foot overall right-of-way with an 18foot road running surface, crowned & ditched and/or sloped and dipped.
- B. Construction standard the access road will be constructed so as to conform to the standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development. (1989)

The road will be constructed to meet the standards of the anticipated traffic flow and all-weather requirements. Construction will include ditching, draining, crowning, and capping or sloping and dipping the roadbed as necessary to provide a well constructed and safe road. Prior to construction/upgrading, the roadway shall be cleared of any snow cover and allowed to dry completely.

Traveling off the thirty (30) foot right-of-way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossing shall be designed so they will not cause siltation or the accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts.

Upgrading shall not be allowed during muddy conditions.

Should mud holes develop, they shall be filled in and detours around them avoided.

- C. Maximum grade 2%
- D. Turnouts no turnouts will be required.
- E. Drainage design the access road will be crowned and ditched or sloped and dipped, and water turnouts installed as necessary to provide for proper drainage along the access road route.
- F. Culverts, cuts and fills no culverts will be required.
 There are no major cuts and/or fills on/along the proposed access road route.
- G. Surface materials any construction materials which may be required for surfacing of the access road will be purchased from a local contractor having a permitted source of materials in the area, if required by the Authorized Officer, Bureau of Land Management. None anticipated at this time.
- H. Gates, cattleguards or fence cuts none required.
- I. Road maintenance during both the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and will be maintained in accordance with the original construction standards. All drainage ditches and culverts will be kept clear and free-flowing, and will also be maintained in accordance with the original construction standards. The access road right-of-way will be kept free of trash during operations.
- J. The proposed access road has been centerline flagged.
- 3. Location of Existing Wells Within a One-Mile Radius:

Please Refer to Map "B"

- A. Water wells none known.
- B. Abandoned wells see Map "B"
- C. Temporarily abandoned wells none known.
- D. Disposal wells none known.
- E. Drilling wells none known.
- F. Producing wells see Map "B".
- G. Shut-in wells none known.
- H. Injection wells none known.
- Monitoring wells none known.
- 4. Location of Existing and/or Proposed Facilities Owned by Equitable Resources Energy Company Within a One-Mile Radius:
 - A. Existing
 - 1. Tank batteries see Map #B.
 - 2. Production facilities see Map #B.
 - Oil gathering lines none.
 - Gas gathering lines see Map #B.
 - B. New Facilities Contemplated
 - 1. All production facilities will be located on the disturbed portion of the well pad and at a minimum of twenty-five (25) feet from the toe of the backslope or toe of the fill slope.
 - 2. The production facilities will consist primarily of a pumping unit, Two tanks and an emergency pit. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via "Sundry Notice" (Form 3160-5) for approval of subsequent installation operations.
 - 3. Production facilities will be accommodated on the existing well pad. Construction materials required for installation of the production facilities will be obtained from the site; any additional materials required will be purchased from a local supplier having a permitted (private) source of materials within the area.

A dike will be constructed completely around those production facilities which contain fluids (i.e. production tanks, produced water tanks and/or heater treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

- 4. To protect important seasonal wildlife values, construction, drilling, and other development activity will not be allowed from May 15 to June 20 This limitation does no apply to maintenance and operation of a producing well. Exceptions to this limitation in any year may be authorized in writing by the Bookcliff Resource Area Manager.
- 5. Construction, drilling or other development will not be allowed until the Ferruginous Hawk nests in the area are determined to be vacated for the year. This determination will be made by the Bookcliff Resource Area Wildlife Biologist. It is anticipated the nests will be vacated prior to August, 1.
- 6. All permanent (onsite for six months or longer) above the ground structures constructed or installed including pumping units) will be painted a flat, nonreflective, earthtone color to match one of the standard environmental colors, as determined by the Five (5) State Rocky Mountain Interagency Committee. All production facilities will be painted within six (6) months of installation. Facilities required to comply with Occupational Health and Safety Act Rules and Regulations will be excluded from this painting requirement.

The required paint color is Carlsbad Tan or Desert Tan.

- C. The production (emergency) pit will be 12'x12' and will be fenced. Said fence will be maintained in good condition.
- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road right-of-way and any additional areas as specified in the approved Application for Permit to Drill.
- E. Reclamation of disturbed areas no longer needed for operation will accomplished by grading, leveling and seeding as recommended by the Bureau of Land Management.

For Pipeline:

- F. Any proposed pipelines will be submitted to the authorized offices Via Sundry Notice for approval of subsequent operations.
- G. Equitable Resources Energy Company shall be responsible for road maintenance from the beginning to completion of operations.

Location and Type of Water Supply

- A. Water to be used for the drilling of these wells will be hauled by truck over the roads described in item #1 and item #2 from the White River. Permit by Dalbo for this water is pending.
- B. No water well will be drilled on this location.

6. Source of Construction Materials

- A. No construction materials are needed for drilling operations. In the event of production, the small amount of gravel needed for facilities will be hauled in by truck from a local gravel pit over existing access roads to the area. No special access other than for drilling operations and pipeline construction is needed.
- B. All access roads crossing Federal land are described under item #2, and shown on Map #A.

All construction material for these location sites and access roads shall be borrowed material accumulated during the construction of the location sites and access roads. No additional construction material from other sources is anticipated at this time, if in the future it is required the appropriate actions will be taken to acquire it from private sources.

- C. All surface disturbance area is on B.L.M. lands.
- D. There are no trees on this location or along the proposed access road.

7. Methods of Handling Waste Materials:

- A. Cuttings the cuttings will be deposited in the reserve/blooie pit.
- B. Drilling fluids including salts and chemicals will be contained in the reserve/blooie pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within ninety (90) days after termination of drilling and completion activities.

In the event adverse weather conditions prevent removal of the fluids from the reserve pit within this time period, an extension may be granted by the Authorized Officer upon receipt of a written request from Equitable Resources Energy Company. The reserve pit will be constructed so as not to leak, break, or allow discharge.

C. Produced fluids - liquid hydrocarbons produced during completion operations will be placed in test tanks on the location. Produced waste water will be confined to a lined pit (reserve pit) or storage tank for a period not to exceed ninety (90) days after initial production. During the ninety (90) day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with the required water analysis, shall be submitted for the Authorized Officer's approval. Failure to file an application within the time frame allowed will be considered an incidence of noncompliance.

Any spills of oil, gas, salt water or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

- D. Sewage self-contained, chemical toilets will be provided for human waste disposal. Upon completion of operations, or as needed, the toilet holding tanks will be pumped and the contents thereof disposed of in the nearest, approved, sewage disposal facility.
- E. Garbage and other waste material garbage, trash and other waste materials will be collected in a portable, self-contained and fully-enclosed trash cage during drilling and completion operations. Upon completion of operations (or as needed) the accumulated trash will be disposed of at an authorized sanitary landfill. No trash will be burned on location or placed in the reserve pit.
- F. Immediately after removal of the drilling rig, all debris and other waste materials not contained in the trash cage will be cleaned up and removed from the well location. No adverse materials will be left on the location. Any open pits will be fenced during the drilling operation and the fencing will be maintained until such time as the pits are backfilled.
- G. The reserve and/or production pit will be constructed on the existing location and will not be located in natural drainages where a flood hazard exists or surface runoff will destroy or damage the pit walls. All pits will be constructed so as not to leak, break, or allow the discharge of liquids therefrom.

8. Ancillary Facilities:

None anticipated.

Wellsite Layout:

- A. Plat #1 shows the drill site layout as staked. Cross sections have been drafted to visualize the planned cuts and fills across the location. An average minimum of six (6) inches of topsoil will be stripped from the location (including areas of cut, fill, and/or subsoil storage) and stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil and subsoil stockpiles.
- B. Plat #2 is a diagram showing the rig layout. No permanent living facilities are planned. There will be two or three trailers on location during drilling operations.
- C. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval of subsequent operations.
- D. The reserve pit and the blooie pit will be constructed as a combination pit capable of holding 12,000 bbls. of fluid. This size of pit will be approximately equivalent to four times the T.D. hole volume. The blooie pit might be used for testing, but only after the drilling is completed and the drilling equipment and personnel are off the well site location.

The reserve pit will not be lined unless requested by the B.L.M. or unless it is deemed necessary by Equitable Resources. If a plastic-nylon reinforced liner is used, it will be torn and perforated after the pit dries and before backfilling of the reserve pit.

- E. Prior to the commencement of drilling operations, the reserve pit will be fenced on three (3) sides using 39— inch net wire with one strand of barbed wire on top of the net wire. The net wire will be no more than two inches above the ground. the barbed wire will be three inches above the net wire. total height of the fence will be at least 42—inches.
 - Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
 - 2. Standard steel, wood, or pipe posts shall be used between the corner braces. The maximum distance

between any two (2) posts shall be no greater than sixteen (16) feet.

3. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The fourth side of the reserve pit will be fenced immediately upon removal of the drilling rig and the fencing will be maintained until the pit is backfilled.

F. Any hydrocarbons on the pit will be removed from the it as soon as possible after drilling operations are completed.

10. Plans for Reclamation of the Surface:

The B.L.M. will be contacted prior to commencement of any reclamation operations.

A. Production

- Immediately upon well completion, the well location and surrounding area(s) will be cleared of all debris, materials, trash and junk not required for production.
- 2. Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
- 3. If a plastic or nylon reinforced pit liner is used, it shall be torn and perforated before backfilling of the reserve pit.
- 4. Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc. will be removed.

Other waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities.

- 5. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed within ninety (90) days from the date of well completion, weather permitting.
- 6. If the well is a producer, Equitable Resources Energy Company will, upgrade and maintain access roads as necessary to prevent soil erosion, and accommodate year round traffic. Reshape areas unnecessary to

operations, distribute topsoil, disk and seed all disturbed areas outside the work area according to the reccommended seed mixture. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.

If the well is abandoned/dry hole, Equitable Resources Energy Company will, restore the access road and location to approximately the original contours. During reclamation of the site, push the fill material into cuts and up over the backslope. Leave no depressions that will trap water or form ponds. Distribute topsoil evenly over the location, and seed according to the above seed mixture. The access road and location shall be ripped or disked prior to seeding. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.

Seedbed will be prepared by disking, then roller packing following the natural contours. Seed will be drilled on contours at a depth no greater than one-half inch (1/2"). In areas that cannot be drilled, seed will be broadcast at double the seeding rate and harrowed into soil. Certified seed will be used whenever available.

Fall seeding will be completed after September 1 and prior to prolonged ground frost. Spring seeding, to be effective, will be completed after the frost has left the ground and prior to May 15th.

7. Upon completion of backfilling, leveling and recontouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s). Prior to reseeding, all disturbed surfaces will be scarified and left with a rough surface. No depressions will be left that would trap water and form ponds. All disturbed surfaces will be reseeded with a seed mixture to be recommended by the Bureau of Land Management.

Seed will be drilled on the contour to a approximate depth of one-half (1/2) inch. All seeding will be conducted after September 1 and prior to ground frost. Spring seeding will be done after the frost leaves the ground and no later than May 15. If the seeding is unsuccessful, Equitable Resources may be required to make subsequent seedings.

B. Dry Hole/Abandoned Location

- 1. On lands administered by the Bureau of Land Management, abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include:
 - (a) re-establishing irrigation systems where applicable,
 - (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and,
 - (c) ensuring revegetation of the disturbed areas to the specifications of the Bureau of Land Management at the time of abandonment.
- 2. All disturbed surfaces will be recontoured to the approximate natural contours and reseeded according to BLM specifications. Reclamation of the well pad and access road will be performed as soon as practical after final abandonment and reseeding operations will be performed in the fall or spring following completion of reclamation operations.

11. Surface Ownership:

The well site and proposed access road are situated on surface lands administered by

Bureau of Land Management Vernal District Office Vernal, Utah

12. Other Information:

A. Topographic and geologic features of the area (reference Topographic Map #A) are:

The proposed drill site is located in the Coyote Basin oil field, which lies in a large basin formed by the Uinta Mountains to the North and the Bookcliff Mountains to the South. The site is located approximately 16 miles North of the White River, which is the major drainage for this area, and approximately 9 miles north of Bonanza Utah, the closest occupied dwellings to this area.

This basin floor is interlaced with numerous canyons and ridges formed by the non-perennial streams of the area. The sides of these canyons are steep and ledges formed in sandstone, conglomerate deposits and shale are common in this area.

The geologic structures that are visible in the area are of the Uinta formation (Eocene Epoch) tertiary period and the cobblestone and younger alluvial deposits from the Quaternary period.

The soils in the semi-arid area of the Williams Fork Formation (Upper Cretaceous) and Wasatch Formation (Eocene) consist of light brownish gray clay (OL) to sand soil (SM-ML) type with poorly graded gravels.

Outcrops of sandstone ledges, conglomerate deposits and shale are common in this area.

The topsoils in the area range from a sandy clay (SM-ML) type soil to a clayey (OL) soil.

The majority of the numerous washes and draws in the area are of a non-perennial nature flowing during the early spring run-off and heavy rain storms of long duration which are rare as the normal annual rainfall in the area is only 8".

The flora of the area includes pinon and juniper trees, sagebrush, mountain mahogany, serviceberry, rabbit brush, greasewood, four-wing saltbush, Gambel scrub oak, willow, tamarack, shadscale, Spanish bayonet, indian rice grass, cheatgrass, wheatgrass, curly grass, crested wheatgrass, sweet clover, gum weed, foxtail, mustard, Canadian thistle, Russian thistle, Kochia, sunflowers and cacti.

The fauna of the area includes cattle, horses, elk, deer, coyotes, rabbits, rodents, lizards, bull snakes, rattle snakes, water snakes and horned toads. Birds of the area are ground sparrows, bluejays, bluebirds, magpies, ravens, rapters, morning doves, swallows, nighthawks, hummingbirds, and chukar.

- B. The surface ownership is Federal. The surface use is grazing and petroleum production.
- C. 1. The closest live water is the White River which is approximately 16 miles South of the proposed site.
 - 2. There are no occupied dwellings in the immediate area
 - 3. An archaeological report will be forwarded upon completion.
 - 4. There are no reported restrictions or reservations noted on the oil and gas lease.

13. OPERATOR'S REPRESENTATIVES:

Balcron Oil, a division of Equitable Resources Energy Company 1601 Lewis Avenue P.O. Box 21017 Billings, Montana 59104 (8:00 a.m. to 5:00 p.m.) (406) 259-7860

(406) 259-7860 FAX: (406) 245-1361

> Dave McCoskery, Drilling Engineer Home: (406) 248-3864

> Steve Durrett, Engineering Manager
> Home: (406) 652-9208

14: CERTIFICATION:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

A complete copy of the approved Application for Permit to Drill will be onsite during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that any statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Balcron Oil, a division of Equitable Resources Energy Company, and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

1/104 13,1992

Bobbie Schuman

Coordinator of Environmental and Regulatory Affairs

EXPLORATORY____

BALCRON OIL COMPANY

Geologic Prognosis

					_				DEVE	LOPMENT	<u>X</u>
WELL HAME:	Feder	<u>al_#13-7</u>			<u>.</u> .	PROSPECT/F	IELD:	Coyote.	Basin	-=	
LOCATION:	1980'	<u>FSL, 66</u>	<u>O'_FWL</u>			SECTION		TOWNSHIP_	85	HANGE	_ <u>Z2E_</u> _
WELL HAME: COUNTY:	Uinta	<u>h</u> _	STATE:	_UT	GL (Ung)	:_5 <u>520'</u>	EST KB:	5532	IOTAL	DEBÎH	4404
FORM. TOPS	:		•					•		_	
	មរៈ០ឮ	nosis	Sumple	Top.	Criti WI		P1: 4 9:	กอรไร	Sample	Top	Colli
Formation	Depth	mutsO	Depth.	Datum	Datum	Formallon	Depth	Datum	Depth	Datum	Datur -
KE											
Green River Douglas Ck. Base B.S.	. <u>-1782</u> -	3750									
ouglas Ck.	. <u>3842</u> _	1690			1503		.				
C.D	_ <u>_4494</u> _	. <u></u> <u>.</u> 1050			4_						
			·								
		•									
										i	
	·										
		_			Or 2 / 2777		7		0.0		2517
CONTROL ME					- SMINM	_Section		lownship	05	Kange	275
SAMPLÉS:					•	LDGS:					
•••	, sa	mples,		' lo		DIL-SFL		from	Surf.	' lo	_T.D.
	្' នង	mples,		'lo		LDT-CNL			Surf.	' lo	_ <u>T.D.</u>
		mples,		' 10						1 10	
		mples,		' to		~~~~~~		, Lion			
	, sa	mples,		' 10				tron tron		· 10	
Cend Sampl								from		1 10	
								from		' lo	
							•				
	•					DRILL STER					
CORES:						No					
				-							
										,	
•		•									
HUD LOGGER			-	_		WELLSITE (יני יוי		
Required:			Yes			From Name:	77777	'·lo	_i.v		
Type:	<u>l man</u>			•		name: Address:			iele. Di	`'	
rmaseste.						Von Gaa.				_	
COMMENTS:			•						-		
											-
							•	0075.	<u>ለ</u> 9.7 ሷ ኃ		
PREPARED	87:	_Steve_J	ا VanDeli	nder			-	DATE:			
R		•									

BALCRON OIL DRILLING PROGRAM

WELL NAME: Balcron Coyote Fed. 13-7 PROSPECT/FIELD: Coyote Basin

LOCATION: NW SW 7-T8S-R25E

COUNTY: Uintah

STATE: Utah

TOTAL DEPTH: 4480

HOLE SIZE

INTERVAL

12 1/4"

0 to 260'

7 7/8"

260 to 4480 (TD)

CASING	INTE	RVAL	CA ========	CASING =================================		
STRING TYPE	FROM	TO	SIZE	WEIGHT	GRADE	
Surface	0	260	8 5/8"	24	J-55	
Production	0	4480	5 1/2"	15.50	J-55	
	און מ	acina Wi	11 he ፍጥఓሮ	ard. New	•	

All casing will be ST&C, 8Rd, New

CEMENT PROGRAM

250 sacks Class "G" with 3% CaCl. Surface (Note: Volumes are 100% excess.)

Production

Two stage cement job with top of second stage cement at 1000'. First Stage: 90 sacks Haliburton Hifill with 10 #/sk Gilsonite tailed with 180 sacks of 50/50 Poz with 0.3% CFR-3, 1/4 #/sk Flocele, 0.5%

Halad-24, and 10% salt.

Second Stage: 110 sacks Haliburton Hifill with

10 #/sk Gilsonite.

PRELIMINARY DRILLING FLUID PROGRAM


TYPE	FROM	TO	WEIGHT	PLAS. VIS	POINT
Fresh Gel/Native mud	0	260	8.5	NA	NA
KCL/GEL AND LCM	0	4480	8.7-9.0	10-12	12-14


1.) No cores or DSTs are planned for this well.


COYOTE FED UNIT #13-7


PLAT #2 (RIG LAYOUT) SCALE 1" = 40'

















United States Department of the Interior



BUREAU OF LAND MANAGEMENT
MONTANA STATE OFFICE
222 NORTH 32ND STREET
P.O. BOX 36800
BILLINGS, MONTANA 59107-6800

IN REPLY TO:

MTM 12619-A et al BLM BOND NO. MT0576 (922.31)

April 25, 1989

NOTICE

Equitable Resources Energy Company P. O. Box 21017 Billings, Montana 59104

OIL AND GAS

CORPORATE MERGER RECOGNIZED
RIDER TO NATIONWIDE BOND ACCEPTED

Acceptable evidence has been filed in this office concerning the merger of Balcron Oil Company into Equitable Resources Energy Company, the surviving corporation. Information provided shows that Balcron Oil Company merged into Equitable Resources Energy Company, changing the former entity's name to Balcron Oil, a Division of Equitable Resources Energy Company. Please note that Divisions cannot hold leases, therefore, after consultation with Balcron Oil, this office is recognizing only the merger action.

A rider was filed on April 20, 1989, to be made a part of \$150,000 Nationwide Oil and Gas Bond No. 5547188 (BLM Bond No. MT0576) with Balcron Oil Company as principal and Safeco Insurance Company of America as surety. By means of this rider, the surety consents to changing the name on the bond from Balcron Oil Company to Equitable Resources Energy Company. The rider is accepted effective April 20, 1989.

For our purposes, the merger is recognized effective April 20, 1989.

The oil and gas lease files and communitization agreement files identified on the enclosed Exhibit A have been noted as to the merger. Other lease interests will be transferred by assignments from Ballard & Cronoble to Equitable Resources Energy Company.

Cynthia L. Embretson, Chief Fluids Adjudication Section

1 Enclosure 1-Exhibit Λ

cc: (w/encl.)

AFS, Denver (1)

All DMs (1 ea.)

RMO Section (1)

Regional Forester, Lakewood (2)

Regional Forester, Missoula (2)

Bureau of Reclamation (1)

Form 3104-8 (July 1984)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

STATE, NATIONWIDE, OR NATIONAL PETROLEUM RESERVE IN ALASKA OIL AND GAS BOND

Act of February 25, 1920 (30 U.S.C. Sec. 181) Act of August 7, 1947 (30 U.S.C. Sec. 351)

Department of the Interior Appropriations Act, Fiscal Year 1981 (P.L. 96-514)

Other Oil and Gas Leasing Authorities as Applicable

171 Eller

Know	ALL MEN B	Y THE	SE PRESENTS,	That	we
	BALCRON	OIL	COMPANY	•	

of 1601 Lewis Avenue, Billings, MT 59104

as principal, and

SAFECO INSURANCE COMPANY OF AMERICA

of 111 Presidential Blvd., Suite 231, Bala Cynwyd, PA 19004

The coverage of this bond shall extend to all of the principal's holdings of	f federal	l oil and	gas	leases i	n the	United States,
including Alaska, issued or acquired under the Acts cited in Schedule A.		•				

The coverage of this bond extends only to the principal's holdings of federal oil and gas leases issued	or acquire	ed under
the Acts cited and in the States named in Schedule A and to any other State or States that may be named i	n a rider	attached
hereto by the lessor with the consent of the surety.	,	_

Ï	The coverage of this bond extends only	to the principal's holdings of federa	l oil and gas leases within	the National Petro-
		•		•
	leum Recerve in Alaska.	• •	•	*

SCHEDULE A

Mineral Leasing Act of February 25, 1920 (30 U.S.C. Sec. 181), Acquired Lands Leasing Act of August 7, 1947 (30 U.S.C. Sec. 351), and other oil and gas leasing authorities as applicable.

NAMES OF STATES

ALL STATES

The conditions of the foregoing obligations are such that, whereas the said principal has an interest in oil and gas leases issued under the Acts cited in this bond: (1) as lessee; (2) as the approved holder of operating rights in all or part of the lands covered by such leases under operating agreements with the lessees; or (3) as designated operator or agent under such leases pending approval of an assignment or operating agreement; and

WHEREAS the principal is authorized to drill for, mine, ex-

tract, remove, and dispose of oil and gas deposits in or under the lands covered by the leases, operating agreements or designations and is obligated to comply with certain covenants and agreements set forth in such instruments; and

WHEREAS the principal and surety agree that without notice to the surety the coverage of this bond, in addition to the present holdings of the principal, shall extend to and include:



SURETY RIDER

VUIDIL @ Lade 3 OL A

SAFECO INSURANCE COMPANY OF AMERICA GENERAL INSURANCE COMPANY OF AMERICA FIRST NATIONAL INSURANCE COMPANY OF AMERICA HOME OFFICE: SAFECO PLAZA SEATTLE, WASHINGTON 98185

To be attached to and	
Type of Bond: .	Nationwide Oil and Gas Lease Bond
	5547188 (BLM Bond No. MT0576)
dated effective	9/8/88
	(MONTH, DAY, YEAR) BALCRON OIL COMPANY, as Principal,
and by	SAFECO INSURANCE COMPANY OF AMERICA , as Surety,
	(SURETY) UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND . (OBLIGEE) MANAGEMENT
In consideration of the	mutual agreements herein contained the Principal and the Surety hereby consent to changing
	The name of the Principal
, From:	BALCRON OIL COMPANY
То:	EQUITABLE RESOURCES ENERGY COMPANY
	•
Nothing herein contai	ned shall vary, alter or extend any provision or condition of this bond except as herein expressly stated.
·This rider is effective	1/1/89 (MONTH, DAY, YEAR)
Signed and Sealed	4/10/89
	EQUITABLE RESOURCES ENERGY COMPANY
Ву:	PRINCIPAL
Ξγ.	SAFEZO INSURANCE COMPANY OF AMERICA
	SURETY SURETY
Ву:	R. Coorge Voinghet ATTORNEY-IN-FACT
:	





ECO INSURANCE COMPANY OF AMERICA SENERAL INSURANCE COMPANY OF AMERICA HOME OFFICE: SAFECO PLAZA SEATTLE, WASHINGTON 98185

EXHIBIT "G" 3798 Page 4 of 4

THOMAS L. VEHAR; R. GEORGE VOINCHET, Pittsburgh, Pennsylvania———————————————————————————————————		•				140.				
Its true and lawful attorney(s)-in-fact, with full authority to execute on its behalf fidelity and surety bonds or undertakings and other documents of a similar character issued in the course of its business, and to bind the respective company thereby. IN WITNESS WHEREOF, SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA have each executed and attested these presents CERTIFICATE Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA: "Article V, Section 13. — FIDELITY AND SURETY BONDS the President, eny Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the company in the company in the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facisimile, On any instrument making or evidencing such appointment, the signatures may be affixed by facisimile, On any instrument making or evidencing such appointment, the signatures may be affixed by facisimile, On any instrument mention of control of the company, in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facisimile, on any instrument making or evidencing such appointment, the signature state of the case of the security of the Company of the Company of the company in the course of its business On any certificate executed by the Secretary or an assistant secretary of the Company and the result of the Company certificate executed by the Secretary or an assistant secretary of the Company and the result of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." (i) The provisions of Article V, Section 13 of the By-Laws, and of Resultanous of the Board of Directors of these corporations, and of										
Its true and lawful attorney(s)-in-fact, with full authority to execute on its behalf fidelity and surety bonds or undertakings and other documents of a similar character issued in the course of its business, and to bind the respective company thereby. N WITNESS WHEREOF, SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA have each executed and attested these presents	hat SAFECO INSURANCE COMPAN Washington corporation, does each he	NY OF AM ereby appo	ERICA a int	nd GENEI	RAL INSUF	RANCE	COMPANY	OF AMER	ICA,e	ach.
N WITNESS WHEREOF, SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA have each executed and attested these presents this	THOMAS L. VEHAR	; R. GEC	RGE VO	INCHET,	Pittsbu	rgh,	Pennsylva:	nia		 :
CERTIFICATE Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA: "Article V, Section 13. — FIDELITY AND SURETY BONDS the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facstimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (iii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment is in full force and effect, (1) Boh A, Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I ha	ts true and lawful attorney(s)-in-fact, v and other documents of a similar charac	vith full au cter issued	thority to in the cou	execute or arse of its b	n its behalf usiness, ar	fidelity ad to bin	and surety bo d the respecti	nds or unove compan	dertaki ny ther	ings eby.
Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA: "Article V, Section 13. — FIDELITY AND SURETY BONDS the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment, is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect.	N WITNESS WHEREOF, SAFECO IN OF AMERICA have each executed and	ISURANC d attested t	E COMP. hese pres	ANY OF A	MERICA a	nd GEN				
Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA: "Article V, Section 13. — FIDELITY AND SURETY BONDS the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facisimile. On any instrument onderring such authority or on any bond or undertaking of the company, the seal, or a facisimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) A copy of the power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation.		this	4th_		day of	Sept	ember		, 19	<u>87</u> .
Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA: "Article V, Section 13. — FIDELITY AND SURETY BONDS the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (ii) The provisions of Article V, Section 13 of the By-Laws, and (iii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation		<u></u>				-				
"Article V, Section 13. — FIDELITY AND SURETY BONDS the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (ii) A copy of the power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation										
Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each rive to appoint individuals as attornays-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking." Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970. "On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney Issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation	and of G	SENERAL	INSURA	NCE CON	PANY OF	AMERI	CA:			
"On any certificate executed by the Secretary or an assistant secretary of the Company setting out, (i) The provisions of Article V, Section 13 of the By-Laws, and (ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation	Assistant Vice President appointed for to appoint individuals as attorneys-in company fidelity and surety bonds and business On any instrument making instrument conferring such authority of impressed or affixed or in any other walidity of any such instrument or und	r that purpo n-fact or us nd other do ig or eviden or on any be manner rep fertaking."	ose by the nder othe cuments icing such and or un- produced;	officer in er appropri of similar appointm dertaking o ; provided,	charge of si ate titles we character is ant, the sign of the comp however, t	urety op vith aut ssued b natures any, the that the	hority to exectly the compan may be affixed seal, or a factly seal shall no	eute on be y in the co d by facsim simile ther t be neces	half o ourse hile, Or eof, ma sary to	f the of its nany ay be
(ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and (iii) Certifying that said power-of-attorney appointment is in full force and effect, the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof." I, Boh A. Dickey, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney Issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation	Extract from a Resolution of th	he Board o	f Director CE COM	s of SAFE	CO INSUR AMERICA	ANCE (COMPANY C d July 28, 19	F AMERI 70.	CA	1
COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney Issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect. IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation	(i) The provisions of Article V, (ii) A copy of the power-of-atto (iii) Certifying that said power-of the signature of the certifying officer	Section 13 rney appoin of-attorney may be by	of the By ntment, e appointm facsimile,	-Laws, an xecuted pu ent is in fu , and the s	i rsuant the Il force and eal of the C	reto, and i effect, ompany	d · may be a fac	simile the	reof."	
	COMPANY OF AMERICA, do hereb Directors of these corporations, and o	y certify that for a Power of	at the fore of Attorne	egoing extr y issued p	acts of the Irsuant the	reto, ar	s and of a Res	DIUTION OF I	HIE DO	a 1 U U I
	IN WITNESS WHEREOF, I have her	eunto set r	ny hand a	ınd affixed	the facsim	ile seal	of said corpor	ation		
			this	10th	d	ay of	April		19	<u> </u>



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860

May 13, 1992

-- VIA FEDERAL EXPRESS --

Bureau of Land Management 170 South 500 East Vernal, UT 84078

Gentlemen:

Enclosed are Applications for Permit to Drill the following wells in Uintah County, Utah:

Balcron Coyote Federal #31-7 NW NE Section 7, T8S, R25E Federal Lease #U-020309-D

Balcron Coyote Federal #13-7 NW SW Section 7, T8S, R25E Federal Lease #U-41377

Balcron Coyote Federal #22-7 SE NW Section 7, T8S, R25E Federal Lease #U-41377

Balcron Coyote Federal #13-5 NW SW Section 5, T8S, R25E Federal Lease #U-063597A

Please let me know if we need to apply for Rights-of-Way for access to any of these locations.

As operator, we request that the information be held tight on these wells for the maximum period allowed by Federal regulations.

If you have any questions or need further information, please let me know.

Singerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

Enclosures

cc: Utah Division of Oil, Gas and Mining

PERATOR Balcion Oil N-980 DATE 5-90
ELL NAME Balcion Coyate Ardial 13-7
EC HUSW 7 T 85 R NTE COUNTY WINTER.
API NUMBER TYPE OF LEASE
HECK OFF:
PLAT. NEAREST WELL
LEASE FIELD POTASH OR OTL SHALE
ROCESSING COHMENTS: Broad Rening heard 5-27-92 order island.
Writer Permit per Claride Manazanaus no primit
would as of 5-27-43
*
APPROVAL LETTER:
SPACING: R615-2-3 NA R515-3-2
109-60 order estued 7 2615-3-3
CAUSE NO. & DATE 5- 27 92 CONFIDENTIAL PERIOD
STIPULATIONS: EXPIRED ON U-10-93
1- Water Permit
2- Priviled a schematic of Bol + Choke manifeld
are s. limitted to the Division as our R649-3-4-2.6.3
ou our musical contraction of the contraction of th



Governor
Dee C. Hanseh
Executive Director
Dianne R. Nielson, Ph.D.
District Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

May 28, 1992

Equitable Resources Energy Company P.O. Box 21017 Billings, Montana 59104

Gentlemen:

Re: Balcron Coyote Federal 13-7 Well, 1980 feet from the south line, 660 feet from the west line, NW 1/4 SW 1/4, Section 7, Township 8 South, Range 25 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-6, (1953, as amended) and the order issued by the Board of Oil, Gas and Mining in Cause No. 129-6 on May 27, 1992, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

- 1. Submittal to the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. § 73-3, Appropriations, prior to commencing drilling operations.
- 2. Submittal of BOP equipment and choke manifold schematic diagrams in accordance with Utah Admin. R649-3-4-2.6.3.
- 3. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
- 4. Notification within 24 hours after drilling operations commence.
- 5. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
- 6. Submittal of the Report of Water Encountered During Drilling, Form 7.

Page 2
Equitable Resources Energy Company
Balcron Coyote Federal 13-7
May 28, 1992

- 7. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
- 8. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32255.

Sincerely,

Associate Director, Oil and Gas

ldc

Enclosures

CC:


Bureau of Land Management

J.L. Thompson

WOI1



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860



JUN 0 3 1992

DIVISION OF OIL GAS & MINING

June 2, 1992

VIA FEDERAL EXPRESS --

State of Utah Division of Oil, Gas & Mining 355 West North Temple Salt Lake City, UT 84180

Gentlemen:

Enclosed is the Archeology Report for the following wells in Uintah County, Utah:

> Balcron Coyote Federal #21-5 Balcron Coyote Federal #33-5 Balcron Coyote Federal #42-6 Balcron Coyote Federal #12-5 Balcron Coyote Federal #33-7 Balcron Coyote Federal #13-5 Balcron Coyote Federal #13-7 43-047-かわちち Balcron Coyote Federal #22-7 Balcron Coyote Federal #31-7

If you have any questions or need further information, please let me know.

Sincerely,

Bobbie Schuman

Coordinator of Operations,

Bobbie Schuman

Environmental and Regulatory Affairs

/rs

Enclosures



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P. O. Box 853 Bountiful, Utah 84011-0853 Tel: (801) 292-7061, 292-9668

May 26, 1992

Subject:

CULTURAL RESOURCE EVALUATIONS OF NINE PROPOSED

WELL LOCATIONS IN THE COYOTE BASIN LOCALITY

OF UINTAH COUNTY, UTAH

Project:

BALCRON OIL CO. -- 1992 Development

Program for Units 12-5, 13-5, 21-5, 33-5, 42-6,

13-7, 22-7, 31-7, and 33-7

Project No.:

BLCR-92-1

Permit No.:

Dept. of Interior -- UT-92-54937

Utah State Project No.: UT-92-AF-201b

To:

Ms. Bobbie Schuman, Balcron Oil Co., P.O. Box 21017,

Billings Montana 59104

Mr. David Little, District Manager, Bureau of Land

Management, 170 South 500 East, Vernal, Utah 84078

Info:

Antiquities Section, Division of State History, 300 Rio

Grande, Salt Lake City, Utah 84101

BECENVED

JUN 0 3 1992

DIVISION OF OIL GAS & MINING

CULTURAL RESOURCE EVALUATIONS

OF NINE PROPOSED WELL LOCATIONS

(UNITS 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, AND 33-7)

IN THE COYOTE BASIN LOCALITY OF UINTAH COUNTY, UTAH

REPORT PREPARED FOR BALCRON OIL COMPANY

Dept. of Interior Permit No.: UT-92-54937 Utah State Project No.: UT-92-AF-201b AERC PROJECT 1320 (BLCR-92-1)

Principal Investigator & Author of Report F. Richard Hauck, Ph.D.

Report Prepared by the

ARCHEOLOGICAL-ENVIRONMENTAL RESEARCH CORPORATION (AERC)

P.O. Box 853 Bountiful, Utah 84011-0853

May 26, 1992

ABSTRACT

Intensive cultural resource evaluations have been conducted for Balcron Oil Company on the proposed Federal Well locations 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, and 33-7 in the Coyote Basin locality of Uintah County, Utah. This series of well locations involved 10 acre survey areas with the exception of Units 12-5 and 31-7 which have been evaluated during previous archaeological investigations in this locality. Access route corridors were also evaluated measuring ca. 30 meters in width for a total of ca. 1.13 miles in length. Thus, ca. 83.7 acres of public lands in the locality were examined by F.R. Hauck and L. Harding of AERC on May 14, 15, and 20, 1992.

No cultural resource activity loci were identified during the examination. The single known site in the immediate locality, 42UN 1553, will be avoided by the proposed developments. No previously recorded significant or National Register eligible cultural resources will be adversely affected by the proposed developments. No isolated artifacts were observed, collected, or recorded during the evaluations.

AERC recommends cultural resource clearance.

TABLE OF CONTENTS

											page	
Abstr	act	•					•	•	•	•	•	ii
Table	of	Con	tent	s		•	•		•		• .	iii
List	of	Maps	of	the	Pro	ject	Area	•	•	•	•	iv
Gener	al	Info	rmat	cion	•	•		•	•	•	•	1
	Pro	ject	Loc	eatio	n	•	•	•	•			1
	Env	iron	ment	al I)esc	ripti	ion	•	•	•	•	4
Previ	Lous	Res	ear	ch i	n th	e Lo	cality	•	•	•	•	5
		e Se					•		•	•	•	5
	Pre	hist	ory	and	His	tory	of the	Cul	tural	Reg	ion	5
							Project					5
Field	d Ev	alua	tio	ns	•	•	•	•	•			6
	Met	hodo	log	у		•		•				6
	Sit	e Si	gni	fica	nce	Crit	eria		•	•	•	6
	•					ry			•	•	· •	7
Cone								•	•	•	•	8
Refe				•		•	•		•			9

LIST OF MAPS OF THE PROJECT AREA

						ŗ	age
MAP	1: Cultural Resource Survey of Proposed Locations in the Coyote Locality, Uintah County, Utah.	Basin •	•		•	•	2
MAP	2: Cultural Resource Survey of Proposed Unit 33-5 in the Coyote Basin Locality, Uintah County, Ut	ah.	•	•	•		3

GENERAL INFORMATION

On May 14, 15, and 20, 1992, AERC archaeologists F.R. Hauck and L. Harding conducted intensive cultural resource evaluations for Balcron Oil Company of Billings, Montana. These examinations involved nine proposed well units (Federal Units 12-5, 13-5, 21-5, 33-5, 42-6, 13-7, 22-7, 31-7, and 33-7) in the Coyote Basin locality of Uintah County, Utah (see Maps 1 and 2).

This project is situated on federal lands administered by the Book Cliffs Resource Area of the Vernal District of the Bureau of Land Management.

The purpose of the field study and this report is to identify and document cultural site presence and assess National Register significance relative to established criteria (cf., 36 CFR 60.6). archeological assessments regulations require potentially endangered cultural resources in order to identify and preserve significant artifacts and cultural material, strata, features, or monuments that are susceptible to disturbance being situated in the immediate development zone. These excavations and site assessments were conducted in compliance with the Antiquities Act of 1906; the Historic Sites Act of 1935; Section 106 of the National Historic Preservation Act of 1966, as amended; the National Environmental Policy Act of 1969; the Federal Land Policy and Management Act of 1979; the Archaeological Resources Protection Act of 1979; the Native American Religious Freedom Act of 1978; the Historic Preservation Act of 1980; and Executive Order 11593.


Project Location

Unit 12-5: This location is in the SW 1/4 of the NW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit 13-5: This location is in the NW 1/4 of the SW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is associated with a short access route that approaches from an existing, shut-in well location to the south (see Map 1).

Unit 21-5: This location is in the NE 1/4 of the NW 1/4 of Section 5 of Township 8 South, Range 25 East. The location is associated with a short access route that approaches from an existing well location to the south (see Map 1).

Unit 33-5: This location is in the NW 1/4 of the SE 1/4 of Section 5 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 2).



T. 8 South
R. 25 East
Meridian: SL
Ougd: Dinos

Meridian: SL Quad: Dinosaur NW, Ut. MAP 1 Cultural Resource Survey of Proposed Locations in the Coyote Basin Locality Uintah County, Utah

Project:

Scale: BLCR-92-1 1:24000

Series:

Uinta Basin

Date:


5**-**26-92

Legend:

Well Center A

10 Acre
Survey
Area

Access Route



8 South T.

25 East

Meridian: SL

Quad: Dinosaur, Utah

MAP 2

Cultural Resource Survey of Proposed Unit 33-5 in the Coyote Basin Locality

Uintah County, Utah

Legend:

Well Center A

10 Acre Survey Area

Project:

Scale: BLCR-92-1

1:24000

Series:

Date:

Uinta Basin

5-26-92

Unit 42-6: This location is in the SE 1/4 of the NE 1/4 of Section 6 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit 13-7: This location is in the NW 1/4 of the SE 1/4 of Section 7 of Township 8 South, Range 25 East. The location is associated with a 5. mile access route that approaches along the top of the ridge from the north (see Map 1).

Unit 22-7: This location is in the SE 1/4 of the NW 1/4 of Section 7 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Unit. 31-7: This location is in the NW 1/4 of the NE 1/4 of Section 7 of Township 8 South, Range 25 East. The location is associated with a two-track road (see Map 1).

Unit 33-7: This location is in the NW 1/4 of the SW 1/4 of Section 7 of Township 8 South, Range 25 East. The location is immediately adjacent to an existing road (see Map 1).

Environmental Description

The project area is situated within the 5500 to 5650 foot elevation zone above sea level. Open rangeland terrain surfaces are associated with all these locations.

The vegetation in the project area includes <u>Chrysothamnus</u> spp., <u>Ephedra viridis</u>, <u>Atriplex canescens</u>, <u>Juniperus spp.</u>, <u>Artemesia tridentata</u>, <u>Opuntia polyacantha</u>, <u>Sarcobatus vermiculatus</u>, and <u>Bromus tectorum</u>. The juniper are only associated with Units 33-5 and 13-7.

The geological associations within the project area consist of Quaternary gravels and fluvial sandstone and mudstone deposits which correlate with the Duchesne River Formation which is of Tertiary age.

PREVIOUS RESEARCH IN THE LOCALITY

File Search

Records searches of the site files and maps at the Antiquities Section of the State Historic Preservation Office in Salt Lake City were conducted on May 12, 1992. A similar search was conducted in the Vernal District Office of the BLM on May 20. The National Register of Historic Places has been consulted and no registered historic or prehistoric properties will be affected by the proposed developments.

A few known cultural sites are situated in the Coyote Basin locality. Most of these prehistoric resources including Sites 42UN 808, 42UN 928, and 42UN 929 were identified and recorded by Nickens and Associates during the Red Wash and Seep Ridge sample inventories (Larralde and Nickens 1980 and Larralde and Chandler 1981). Subsequent well location and access route evaluations in this locality have also resulted in the identification of one other cultural resource, Site 48UN 1553 (cf., Hauck 1981a, 1981b, 1983, and 1985).

Prehistory and History of the Cultural Region

Currently available information indicates that the Northern Colorado Plateau Cultural Region has been occupied by a variety of cultures beginning perhaps as early as 10,000 B.C. These cultures, as identified by their material remains, demonstrate a cultural developmental process that begins with the earliest identified Paleoindian peoples (10,000 - 7,000 B.C.) and extends through the Archaic (ca. 7,000 B.C. - A.D. 300), and Formative (ca. A.D. 400 -1100) Stages, and the Late Prehistoric-Protohistoric periods (ca. A.D. 1200 - 1850) to conclude in the Historic-Modern period which was initiated with the incursion of the Euro-American trappers, explorers, and settlers. Basically, each cultural stage - with the exception of the Late Prehistoric hunting and gathering Shoshonean bands - features a more complex life-way and social order than occurred during the earlier stage of development (Hauck 1991:53). For a more comprehensive treatment of the prehistory and history of this region see Archaeological Evaluations in the Northern Colorado Plateau Cultural Area (Hauck 1991).

Site Potential in the Project Development Zone:

Previous archaeological evaluations in the general project area have resulted in the identification and recording of a variety of cultural resource sites having eligibility for potential nomination to the National Register of Historic Places (NRHP). The

majority of these sites are lithic scatters including Sites 42UN 928 and 42UN 929. Open occupations have also been identified in this locality (42UN 808 and 42UN 1553). Sites associated with the open rangeland generally appear to have been occupied during the Archaic Stage with occasional indications of Paleoindian activity based on the recovery of isolated Plano style projectile points.

According to the sources noted in the reference, the site density of this locality appears to range from one to four sites per section. These densities increase in the river bottoms and in the dune-juniper environments. Prehistoric sites on the rangeland benches appear to be associated with water courses and aeolian deposits.

FIELD EVALUATIONS

Methodology

Intensive evaluations consisted of the archaeologists walking 10 to 20 meter wide transects within the well location areas and along the proposed access corridors. This series of well locations involved 10 acre survey areas with the exception of Units 12-5 and 31-7. Unit 12-5 was evaluated in 1985 as a ten acre parcel (Hauck 1985). The 80 acre parcel surrounding Unit 31-7 and including that unit's access route as well as a portion of the access route into Unit 13-7 was evaluated during the Red Wash sample survey (Larralde and Nickens 1980). Access route corridors were evaluated measuring ca. 30 meters in width for a total of ca. 1.13 miles in length. Thus, ca. 83.7 acres of public lands in the locality were examined by F.R. Hauck and L. Harding AERC on May 14, 15, and 20, 1992.

Observation of cultural materials results in intensive examinations to determine the nature of the resource (isolate or activity locus). The analysis of each specific cultural site involves its subsequently being sketched, photographed, and appropriately recorded on standard IMACS forms. The determination of site significance is also established during the examination and evaluation of the cultural resources.

Site Significance Criteria

Prehistoric and historic cultural sites which can be considered as eligible for nomination to the National Register of Historic Places have been outlined as follows in the National Register's Criteria for Evaluation as established in Title 36 CFR 60.6:

The quality of significance in American ... archaeology ... and culture is present in ... sites ...

that possess integrity of location, design, setting, materials, workmanship, feeling, and association and:

- a. That are associated with events that have made a significant contribution to the broad patterns of our history; or
- b. that are associated with the lives of persons significant in our past; or
- c. that embody the distinctive characteristics of a type, period, or method of construction ...; or
- d. that have yielded, or may be likely to yield, information important in prehistory or history.

In addition to satisfying one or more of these general conditions, a significant cultural resource site in Utah will generally be considered as being eligible for inclusion in the National Register if it should advance our current state of knowledge relating to chronology, cultural relationships, origins, and cultural life ways of prehistoric or historic groups in the area.

In a final review of any site's cultural significance, the site must possess integrity and at least one of the above criteria to be considered eligible for nomination to the National Record of Historic Places.

Results of the Inventory

No newly identified prehistoric or historic cultural resource activity loci was observed and recorded during these archaeological evaluations.

No previously recorded cultural sites will be adversely affected by the proposed developments. Site 42UN 1553 is closest to the development area but is outside and not readily accessible from the adjacent well location.

No isolated artifacts were observed or recorded during the evaluations.

CONCLUSION AND RECOMMENDATIONS:

AERC recommends that a cultural resource clearance be granted to Balcron Oil Company relative to the development of the proposed units as noted above based upon adherence to the following stipulations:

- 1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the flagged areas and corridors examined as referenced in this report, and to the existing roadways and/or evaluated access routes.
- 2. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.
- 3. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.

F. Richard Hauck, Ph.D. President and Principal Investigator

REFERENCES

Hauck, F. Richard

- 1981a CULTURAL RESOURCE INVENTORY OF A PROPOSED WELL LOCATION AND ACCESS ROAD IN THE COYOTE BASIN LOCALITY OF UINTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DS-81-1), Bountiful.
- 1981b CULTURAL RESOURCE INVENTORY OF NINE PROPOSED WELL LOCATIONS AND ACCESS ROADS IN THE COYOTE BASIN LOCALITY OF UINTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DS-81-2), Bountiful.
- 1983 CULTURAL RESOURCE EVALUATIONS OF THREE PROPOSED WELL LOCATIONS IN THE COYOTE BASIN LOCALITY OF UINTAH COUNTY, UTAH. AERC Report prepared for Cotton Petroleum Company (CPC-83-1), Bountiful.
- 1985 CULTURAL RESOURCE EVALUATION OF PROPOSED COYOTE BASIN LOCATIONS 12-5 AND 13-5 IN THE COYOTE BASIN LOCALITY OF UINTAH COUNTY, UTAH. AERC Report prepared for Diamond Shamrock Exploration (DSE-85-8), Bountiful.
- 1991 ARCHAEOLOGICAL EVALUATIONS ON THE NORTHERN COLORADO PLATEAU CULTURAL AREA, <u>AERC PAPER No. 45</u>, Archeological-Environmental Research Corporation, Bountiful.
- Larralde, Signa L. and Paul R. Nickens
 - 1980 SAMPLE INVENTORIES OF OIL & GAS FIELDS IN EASTERN UTAH 1978-1979, ARCHAEOLOGICAL INVENTORY IN THE RED WASH CULTURAL STUDY TRACT, UINTAH COUNTY, UTAH. (In) CULTURAL RESOURCE SERIES, NO. 5, Bureau of Land Management, Salt Lake City.
- Larralde, Signa L. and Susan M. Chandler
 - 1981 ARCHAEOLOGICAL INVENTORY IN THE SEEP RIDGE CULTURAL STUDY TRACT. UINTAH COUNTY. NORTHEASTERN UTAH. (In) CULTURAL RESOURCE SERIES, No. 11, Bureau of Land Management, Salt Lake City.

Department of the Interior	Authorization No . U. 9.2. A. F. 2.0.1.b
Bureau of Land Management Utah State Olice	Report Acceptable Yes No
(AERC FORMAT)	
Summary Report of	Mitigation Acceptable Yes No
Inspection for Cultural Resources	Comments:
	SIN LOCATIONS
	21-5, 33-5, 42-6, 13-7, 22-7, 31-7, & 33-7
5 26 1 9 9 2	UT-92-54937
3. Report pate	4. Antiquities Permit No.
	B L C R - 9 2 - 1 Uintah
5. Responsible Institution	County
6. Fieldwork 0 8 S	25E 05 06 07
Location: TWN RNG .	25E 05 06 07
7. Resource Area TWN RNG .	Section
.B.C.	• • • • Deceron• • • • • • • • • • • • • • • • • • •
TWN RNG .	Section
8. Description of Examination Proces	iures: The archeologists, F.R. Hauck and
L. Harding, intensively examined the	nese proposed locations and access corridor
	meter-wide transects flanking the flagged ocations involved 10 acre (continued)
centerline. Into series of well i	
	. 1 3
9. Linear Miles Surveyed	10. Inventory Type
Definable Acres Surveyed	R = Reconnaissance
and/or Legally Undefinable 8 3	I = Intensive
Acres Surveyed	S = Statistical Sample
11. Description of Findings:	12. Number Sites Found .0
No cultural resource sites were in during the survey. No isolated a	
were observed, recorded, or colle	
14. Actual/Potential National Registe	on Dropontice Afforted.
	Places (NRHP) has been consulted and no
registered properties will be affe	
15. Literature Search. Location/ Date	. II+ah SHPO 5_12_02
	Vernal District Office Records 5-20-92
16. Conclusion/ Recommendations:	
	source clearance be granted to Balcron Oil ments based on the following stipulations:
(see page 2).	V J
17. Signature of Administrator	Administrator
& Field Supervisor	The true
·	Field
UT 8100-3 (2/85)	Supervisor

8. continued:

survey parcels on all of the locations with the exceptions of Units 12-5 and 31-7 which were evaluated during earlier examinations. Unit 12-5 was evaluated by AERC for Cotton Petroleum in 1985 as a ten acre parcel (Hauck 1985). Unit 31-7 and a portion of the access route into Unit 13-7 was evaluated within an 80 acre sample survey unit during the Red Wash sample survey by Nickens and Associates (Larralde and Nickens 1980).

16 ... continued:

- 1. All vehicular traffic, personnel movement, construction and restoration operations should be confined to the corridors examined as referenced in this report, and to the existing roadways and/or evaluated access routes.
- 3. All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.
- 4. The authorized official should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the location of the exploration area.

FILING FOR WATERIN THE STATE OF UTAH 5 1882

Rec. by	<u> </u>
Fee Rec.	30.00
Paceint #	748

Microfilmed _____

APPLICATION TO APPROPRIATE WATER

Roll # ___

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of Title 73, Chapter 3 of the Utah Code Annotated 1953, as amended.

WATER RIGHT NUMBER: 49 - 1521 ************************************

TEMPORARY APPLICATION NUMBER: T66068

OWNERSHIP INFORMATION:

LAND OWNED? No

NAME:

Dalbo Incorporated

ADDRESS: P. O. Box 1167, Vernal, UT 84078

PRIORITY DATE:

April 28, 1992

FILING DATE: April 28, 1992

SOURCE INFORMATION:

QUANTITY OF WATER: 20.0 acre-feet

DIRECT SOURCE:

White River

COUNTY: Uintah

POINT OF DIVERSION -- SURFACE:

(1) N 400 feet W 1850 feet from Et corner, Section 2, T 10S, R 24E, SLBM

DIVERT WORKS: Pump into tank trucks

SOURCE:

White River

WATER USE INFORMATION:

OIL EXPLORATION: from Jan 1 to Dec 31.

Drilling and completion of 9 wells for

Balcron Oil Division in Bonanza Area

PLACE OF USE: (which includes all or part of the following legal subdivisions:)

			1	NOR	TH-	EAS	T 1		NOF	₹TH-	-WES	T1	 SOL	JTH-	WES	ST 1	,	SOL	JTH-	EAS	
BASE	TOWN	RANG	SEC		NW	SW			NE	NW	SW	SÉ	NE	NW	SW	SE		NE	NW	SW	SE
SL	88	25E	5	XI	X	Х	Χ		X	Χ	Х	X	X	Χ	Χ	X		X	Χ	Χ	<u> </u>
0.2	•		6	χ	χ	Χ	Χ		X	Χ	Χ	Χ	Χ	χ	Χ	X		X	Х	Х	Χ
			7	X	X	Χ	X	-	Х	Х	Х	Χ	X	X	Х	X		X	_ X	X	<u>X</u>

EXPLANATORY:

Point of Diversion is on BLM lands. Permission is being obtained

TJUN 0 8 1992

DIVISION OF OIL GAS & MINING

6. SIGNATURE OF APPLICANT(S):

The applicant(s) hereby acknowledge(s) that he/she/they are citizen(s) of the United States of America or intend(s) to become such a citizen(s). The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purposes herein described. The undersigned hereby acknowledges that even though he/she/they may have been assisted in the preparation of the above-numbered application through the courtesy of the employees of the Division of Water Rights, all responsibility for the accuracy of information contained herein, at the time of filing, rests with the applicant(s).

Signature of Applicant(s)

COYOTE BASIN WELLS EQUITABLE RESOURCES ENERGY COMPANY BALCRON OIL DIVISION COYOTE BASIN PROJECT

Balcron Coyote Federal #22-7 SE NW Section 7, T8S, R25E 1749' FNL, 1601' FWL

Balcron Coyota Federal #31-7 NW NE Section 7, T85, R25E 561' FNL, 1977' FEL

NW SW Section 7, T8S, R25E 43-047-30055

Balcron Coyote Federal #21-5 NE NW Section 5, T8S, R25E 660' FNL, 1980' FWL

Balcron Coyote Federal #33-5 NW SE Section 5, T8S, R25E 1892' FSL, 2326' FEL

Balcron Coyote Federal #33-7 NW SE Section 7, T8S, R25E 1751' FSL, 1922' FEL

Balcron Coyote Federal #42-6 SE NE Section T8S, T25E 1980' FNL, 660' FEL

Balcron Coyote Federal #12-5 SW NW Section 5, T8S, R25E 1980' FNL, 660' FWL

Balcron Coyote Federal #13-5 NW SW Section 5, T8S, R25E 1605' FSL, 586' FWL

ALL ARE IN UINTAH COUNTY, UTAH
OPERATOR IS: EQUITABLE RESOURCES ENERGY COMPANY
Balcron Oil division

4/24/92 /rs

STATE ENGINEER'S ENDORSEMENT

WATER RIGHT NUMBER: 49 - 1521

APPLICATION NO. T66068

1. April 28, 1992

Application received by BMW.

2. May 4, 1992

Application designated for APPROVAL by RWL and KLJ.

3. Comments:

Conditions:

This application is hereby APPROVED, dated June 5, 1992, subject to prior rights and this application will expire on June 5, 1993.

Robert L. Morgan

State Engineer



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860

June 8, 1992



DIVISION OF OIL GAS & MINING

チェファット またりおおと (本)の(数) しきしがただった (現在)が(閲覧)

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Gentlemen:

As requested, enclosed is a copy of the BOPE diagram for the following wells:

Balcron Coyote Federal #42-6
Balcron Coyote Federal #33-7
Balcron Coyote Federal #33-5
Balcron Coyote Federal #31-7
Balcron Coyote Federal #22-7
Balcron Coyote Federal #21-5
Balcron Coyote Federal #13-7
Balcron Coyote Federal #13-5
Balcron Coyote Federal #13-5

Also enclosed is a copy of the Application to Appropriate Water. This Application has been approved by the State Engineer's office by Dalbo Incorporated.

If you have any questions or need further information, please let me know. For your information, we anticipate being able to start this Coyote Basin drilling program by July 1.

sincerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

Enclosures

FILING FOR WATER IN THE STATE OF UTAH

Rac. by	
Fee Rec	
Receipt #	
Microfilmed	

RIATE WAT	ER
1	RIATE WAT

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of Title 73, Chapter 3 of the Utah Code Annotated 1953, as amended.

WATER RIGHT NUMBER: 49 - 1521

OWNERSHIP INFORMATION:

LAND OWNED? No

Dalbo Incorporated NAME: ADDRESS: P. O. Box 1167, Vernal, UT 84078

PRIORITY DATE:

April 28, 1992

FILING DATE: April 28, 1992

SOURCE INFORMATION:

QUANTITY OF WATER: 20.0 acre-feet

DIRECT SOURCE:

White River

COUNTY: Uintah

POINT OF DIVERSION -- SURFACE:

(1) N 400 feet W 1850 feet from El corner, Section 2, T 10S, R 24E, SLBM

DIVERT WORKS:

Pump into tank trucks

SOURCE:

White River

WATER USE INFORMATION:

OIL EXPLORATION: from Jan 1 to Dec 31. Drilling and completion of 9 wells for Balcron Oil Division in Bonanza Area

PLACE OF USE: (which includes all or part of the following legal subdivisions:)

	NORTH-WEST NE NW SW SE X X X X X === X X X X X ===	SOUTH-WEST NE NW SW SE X X X X X N NM N	SOUTH-EAST I NE NW SW SE X X X X X X X X X X X X X X X
--	--	---	--

5. EXPLANATORY:

Point of Diversion is on BLM lands. Permission is being obtained

JUN 1-0 1992


ROTARY DRILLING WITH & AIR SINCE 1966




Main Office 1910 N. Loop Ave. P.O. Box 2440 Casper, Wyoming 82602 (307) 235-8609

Billings Office 2047 E. Main Billings, Montana 59103 (406) 245-3511

Havre, Montana Yard 4 mi. W. Hwy 2





9" Bore-1000 PSI Blowout Preventer Stack

Form 3160-3 (November 1983) (formerly 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

(Other instruction on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO. BUREAU OF LAND MANAGEMENT U-41377 6. IF INDIAN, ALLOTTER OR TRISE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK n/a. 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DRILL 🛛 DEEPEN [PLUG BACK n/a b. TYPE OF WELL MULTIPLE ZONE WELL X SINGLE 8. FARM OR LEASE NAME OIL Balcron Coyote Federal 2. NAME OF OPERATOR 9. WELL NO. **EQUITABLE RESOURCES ENERGY COMPANY** 3. ADDRESS OF OPERATOR 10. FIELD AND POOL, OR WILDCAT P.O. Box 21017; Billings, MT 59104 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) Covote Basin/Green River 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA 1980' FSL, 660' FWL NW SW Sec. 7, T8S, R25E Uintah UTAH 17. NO. OF ACRES ASSIGNED TO THIS WELL 15. DISTANCE FROM PROPUSED* 16. NO. OF ACRES IN LEASE DISTANCE FROM FAVOURD LOCATION TO NAMEST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION®
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS 4.480 Rotary 22. APPROX. DATE WORK WILL START* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5,519.43 GL September 1, 1992 23. PROPOSED CASING AND CEMENTING PROGRAM WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT SIZE OF CASING BILL OF ROLE 8-5/8" 24# 260' 250 sx G w/add See Drilling Program 15.50# 480 ¹ SEE ATTACHED EXHIBITS 9202122232426 PROPOSED DRILLING PROGRAM 14151617 16, PROPOSED SURFACE USE PROGRAM "C" GEOLOGIC PROGNOSIS "D" DIV. OIL, GAS, MINING DRILLING PROGRAM DRILL PAD AND RIC LAYOUT (plats 1 and 2) LOCATION SITE AND ELEVATION PLAT "G" EVIDENCE OF BOND COVERAGE SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

IN ABOVE SPACE DESCRIBE PROPOSED PROUBEM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive some. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. Coordinator of Environmental TITLE and Regulatory Affairs PERMIT NO. ASSISTANT DISTRICT CAMPACE MINERALS 6 1332 APPROVED BY CONDITIONS OF APPROVAL, IF ANY : NOTICE OF APPROVAL

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL FOR THE APPLICATION FOR PERMIT TO DRILL

Compa	ny/Oper	ator <u>Equitable Resources Energy Company</u>				
Well Na	Well Name & Number <u>Coyote Federal 13-7</u>					
Lease Number <u>U-41377</u>						
Locatio	n <u>NWS</u>	Sec. <u>7 T. 8S. R. 25E</u>				
Surface	Owners	ship <u>Federal</u>				
		NOTIFICATION REQUIREMENTS				
Location Construction	-	at least forty-eight (48) hours prior to construction of location and access roads.				
Location Completion	-	prior to moving on the drilling rig.				
Spud Notice	- '	at least twenty-four (24) hours prior to spudding the well.				
Casing String and Cementing	-	at least twenty-four (24) hours prior to running casing and cementing all casing strings.				
BOP and Related Equipment Tests	-	at least twenty-four (24) hours prior to initiating pressure tests.				
First Production Notice	-	within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.				

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Company Equitable Resources Energy Company Well No. Coyote Federal 13-7

Location NWSW Section 7, T8S, R25E Lease No.U - 41377

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at \pm 2,590 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) and bond quality for the production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours <u>prior</u> to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka (801) 781-1190 Petroleum Engineer

Ed Forsman (801) 789-7077 Petroleum Engineer

BLM FAX Machine (801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

SURFACE INFORMATION

- A. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
 - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)
- D. Balcron will construct and install one artificial nesting structure for Ferruginous Hawks. BLM will locate the site where the structure should be installed.



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860



DIVISION OF OIL GAS & MINING

September 14, 1992

State of Utah Division of Oil, Gas & Mining 355 West North Temple Salt Lake City, UT 84180

Gentlemen:

RE: Balcron Coyote Federal #13-7 NW SW Section 7, T8S, R25E <u>Uintah County, Utah</u>

Enclosed is a copy of our Federal notice of spud and running casing on the referenced well. Also enclosed is our Entity Action form reporting the spud of a new well.

Sincerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

Enclosures

Form 3160-5 (June 1990)

UNITED STATES DEP

UNITED STATES		į E
PARTMENT OF THE INTERIOR		Budge Ext
EAU OF LAND MANAGEMENT	•	5, Lease De

	Budget Bureau No. 1004-0135
	Expires: March 31, 1993
٠	Lease Designation and Serial No.

FORM APPROVED

						_
5,	Lease	Designati	on and	i Se	rial	No

BUREAU OF I	5. Lease Designation and Serial No.			
SUNDRY NOTICES Do not use this form for proposals to dri Use "APPLICATION FOR	U-41377 6. If Indian, Allottee or Tribe Name n/a			
SUBMIT	7. If Unit or CA, Agreement Designation n/a			
1. Type of Well Oil Gas Well Well Other 2. Name of Operator	8. Well Name and No. Balcron Coyote Federal #13-7			
EQUITABLE RESOURCES ENERGY CO 3. Address and Telephone No.	MPANY	9, API Well No. 43-047-32255		
P.O. Box 21017; Billings, MT 4. Location of Well (Footage, Sec., T., R., M., or Survey De	59104 (406) 259-7860 scription)	10. Field and Pool, or Exploratory Area Coyote Basin/Green River		
NW SW Section 7, T8S, R25E 1980' FSL, 660' FWL	11. County or Parish, State Uintah County, UTAH			
12. CHECK APPROPRIATE BOX() TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION	. TYPE OF ACTION	,		
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction		
X Subsequent Report	Plugging Back Casing Repair	Non-Routine Fracturing Water Shut-Off		
Final Abandonment Notice	Altering Casing X Other Spud & running Casing	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
13. Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertice	pertinent details, and give pertinent dates, including estimated date of starting at depths for all markers and zones pertinent to this work.)*	•		

This well was spud at 12:45 p.m. 9/13/92. Ran 253' 8-5/8", 24# casing. Cemented w/190 sx Class G w/additives.



SEP 1 6 1992

DIVISION OF OIL GAS & MINING

<u> </u>		
14. I hereby certify that the foregoing is tode and correct	Coordinator of Environmental	0,0100
Signed Albert Achuman	Tide and Regulatory Affairs	Date 9-/
(This space for Federal or State office use)		
Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

TATE OF	ŲŢ/ PF	oir' Al	GAS	PNA	ититис	3
YTTTN	AC.	TION	FO	RM -	FORM	6

BALCRON OIL **OPERATOR** P.O. Box 21017 ADDRESS Billings, MT 59104

OPERATOR	ACCT	NΩ.	ห 9890
OI CIVATOR	~~~	110,	

CTION	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WEL	NAME		90	sc	WELL TP	LOCATION RG	COUNTY	SPUD DATE	EFFECTIVE DATE
CODE	99999	11412	43-047-32255	Balcron Coyote	Federal	#.13-7	NW SW		85	35E 25E	Uintah	9/13/92	9/13/92
	OMMENTS:	ell.	Entity added	J 9-18-92. fee									
EL C	OMMENTS:								···	· · · · · · · · · · · · · · · · · · ·			
ELL 3 C	OMMENTS:					• .						ď	
		T				EGEIN					•		;
ELL 4 0	OHMENTS:	 				SEP 1 4 1	çoy Î						
					T:N	PAS & MI	ir Di ni G					·	
ILL 5 0	OMMENTS:												

TION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

TE: Use COMMENT section to explain why each Action Code was selected.

/89)

DIVISION OF OIL GAS & MINING

Signature

Coordinator of Environmental

and Regulatory Affairs

Phone No. (406) 259-7860



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860

October 29, 1992

Bureau of Land Management 170 South 500 East Vernal, UT 84078

Gentlemen:

RE: Balcron Coyote Federal #13-7

NW SW Section 7, T8S, R25E

Uintah County, Utah

Enclosed is our sundry notice reporting the date of first production on the referenced well.

Sincerely,

Bobbie Schuman

Coordinator of Operations,

oblie Schuman

Environmental and Regulatory Affairs

/rs

Enclosure

cc: State of Utah, Division of Oil, Gas and Mining

BECENAÉD

NOV 0 2 1992

DIVISION OF OIL GAS & MINING Form 3160-5 (June 1990)

•	UNITED STATES
DE	ARTMENT OF THE INTERIOR
1 I I I	FAIL OF LAND MANAGEMENT

FORM	APPR	OVED
Budget Bure	cau No.	1004-0135
Expires:	March	31, 1993

	-april +4.	17141011	,
. Lease	Designat	on and	Serial No.

		U-41377
SUNDRY NOTICES	6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to dr	ill or to deepen or reentry to a different reservoir.	n/a
Use "APPLICATION FO	R PERMIT—" for such proposals	
CUDAIT	IN TRIBLICATE	7. If Unit or CA, Agreement Designation
SUBMIT	IN TRIPLICATE	」n/a
1. Type of Well	PANELDENTIN	
Oil Gas Other		8. Well Name and No. Balcron Coyote Federal #13-7
2. Name of Operator		9. API Well No.
EQUITABLE RESOURCES ENERGY CC 3. Address and Telephone No.	MPANY .	43-047-32255
•	59104 (406) 259-7860	10. Field and Pool, or Exploratory Area
P.O. Box 21017; Billings, MT 4. Location of Well (Footage, Sec., T., R., M., or Survey D	Coyote Basin/Green River	
NW SW Section 7, T8S, R25E	•	11. County or Parish, State
		Uintah County, UTAH
1980' FSL, 660' FWL.		
12. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	. TYPE OF ACTION	
Notice of Intent	. Abandonment	Change of Plans
_	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
_	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
·	X Other <u>Report of 1st produc</u>	(Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a	Il pertinent details, and give pertinent dates, including estimated date of startin	g any proposed work. If well is directionally drilled
give subsurface locations and measured and true verti-	eal depths for all markers and zones pertinent to this work.)*	

First production on this well was October 28, 1992.



DIVISION OF OIL GAS & MINING

14. 1 hereby certify that the foregoing is true and correct Signed Doblue Schuman	Coordinator of Environmental and Regulatory Affairs	Date 10/28/92
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

1

DAILY OPERATING REPORT

BALCRON COYOTE #13-7

Location: NW SW Section 7, T8S, R25E

Uintah County, Utah 1980' FSL 660' FWL

PTD: 4,470' Formation: Wasatch Tongue of Green River

Green River Prospect
Elevations: 5519.43' GL
Contractor: Elenburg rig #14
Operator: Balcron/EREC

spud: 9-14-92 @ 12:45 p.m.
Casing: 8-5/8" @ 253'

9-14-92 TD: 265' (265') Day 1

Formation: Uintah MW 8.3 VIS 27 pH 8

Present Operation: Weld on head.

SPUD well @ 12:45 p.m. 9-13-92. Ran 253', 8-5/8", 24# csg w/regular shoe & 4 centralizers. Cmt csg w/190 sxs Class "G", 2% CaCl2 + 1/4# Celloflake. Good returns

doing job. Cmt to surf.

DC:\$16,090 CC: \$16,090

9-15-92 TD: 1,815' (1,550') Day 2

Formation: Uinta

MW 8.4 VIs 27 pH 11.3 Present Operation: Drilling

Tested BOPE & csg to 1500 psi.

DC: \$20,671 CC: \$36,751

9-16-92 TD: 2,146' (331') Day 3

Formation: Green River

MW 8.4 VIS 27 pH 10.8

Present Operation: Drilling

Lost full returns @ 2079' - lost 1000 bbls last 24 hrs.

DC: \$7,360 CC: \$44,121

9-17-92 TD: 2,377' (231') Day 4

Formation: Green River MW 8.3+ VIS 27 pH 9.2

Present Operation: Drilling

prill ahead.

DC: \$4,329 CC: \$48,450

Dept.	Phone #	
5 1010°	Jallan Del	
"St of Uto	h From Molly Enice	<u>L</u>

DAILY OPERATING REPORT

BALCRON COYOTE #13-7
Location: NW SW Section 7, T8S, R25E
Uintah County, Utah

---TIGHT HOLE---

9-18-92 TD: 2,506' (129') Day 5
Formation: Green River
MW 8.4 VIS 27 pH 9.7
Present Operation: Drilling
Drill to 2,423'. Trip for bit, work on draw works.
Drill ahead.
DC: \$2,571 CC: \$51,021

9-19-92 TD: 2,975' (469') day 6
Formation: Green River
MW 8.4 VIS 27 pH 10.6
Present Operation: Drilling

DC: \$6,393 CC: \$57,414

9-20-92 TD; 3,694' (719') Day 7
Formation: Green River
MW 8.4 VIS 27 pH 10.2
Present Operation: Drilling
DC: \$9,472 CC: \$66,886

9-21-92 TD: 4,390' (696') DAY 8
Formation: Green River
MW 8.6 VIS 31 pH 10.1
Present Operation: Drilling
Mudded up @ 4300 - BHA is the same.
DC: \$10,428 CC: \$77,314

9-22-92 TD: 4,500' (110') Day 9
Formation: Green River
MW 8.7 VIS 32 pH 10.3 WL 19.6
Present Operation: Logging
Stuck logging tool on btm - worked it free.
DC: \$5,365 CC: \$82,679

Post-It brand fax transmittal n	nemo 7671 #of pages ▶
St of Utah	From Molly Empcol
Dept. Dept.	Phone #
Fax #	Fax #

BALCRON OIL

A Division of Equitable Resources Energy Company

P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860

November 20, 1992

State of Utah Division of Oil, Gas, & Mining 355 West North Temple Salt Lake City, UT 84180

Gentlemen:

RE: Balcron Coyote Federal #13-7 NW SW Section 7, T8S, R25E Uintah County, Utah

Enclosed for your records is the complete daily operating report for the above referenced well.

Please feel free to contact me if you need any further information.

Sincerely,

Molly M. Conrad Operations Secretary


/mc

Enclosure




The Western Company—Treatment Report

Date 10	<u> </u>	<u> テし</u> w	strict 🗘 ell No.	4002	7 7	F. Re Field	کے celpt میانات	156.40 17.4	CALYDI	Operator (39) Location	ICPHN OF CO	
County _	Lease Ounts FLD Well No. 13-7 Field Counts Chingon Location County Ounts State 1701+ Stage Number 1 This Zone De This Well Stage Number 1											
WELL D	ATA OC	O NGT	X- ИО	5	on W	יו םסי	WO N	lisc.□	Depth TD/I	Packer For	rmation GREN RIVER	
Casing Size WT. 15.5 Set From SURFACE TO 41460 Liner Size Wt.												
Liner Set From To Open Hole: Size From To Casing Perforations: Size Holes Per Foot Intervals												
Union Da	ar Ennt		inte	rvals	$-Q_{i}$	(0)	Y3/	-				
Previous	Treatmer	ıt	5/1	<u>) </u>			HOLLIO	TOCKION	NIE			
24444	A STATE OF THE PARTY OF THE PAR	A Pad U	ima Elitic	N. T. WAR.	Faamt	\ UVA MATRI	TACIOI I	CHI II	eat, Fluid \	/ol. <u>/5</u> 7834	Gal. CAPACITIES IN BBLS.	
Base Flu	uid Type	307		/ /		_Base F	luid Vol.	15	1834	,,,,		
Foam Q	ual.:	% Mit	chell□	Slutty	Surla	ace[] D	ownhole	∍□ Total	Prop Oty.	Yle, as	Lbs. Casing Cap.	
Prop Ty	pe: Sandf	#WP-11	D WE	3-3∐	Baux.⊔	Othe)r	····			Annular CapOpen Hole Cap	
Mole Le	adad With	Types and			Trea	t Via: Tr	ubina□	Casing	Anul.[Tubing & A	nul. Fluid to Load 60	
Ball Sea	ders:				, , , , q.u.	Stages	of		<u> </u>	,	Pad Volume 945 Treating Fluid 377	
Types a	nd Numbe	r of Pump	s Used	<u>3-100</u>	X) B/L	<u>, 2</u>	-1300	<u> </u>	1414	209015	Flush 10,10	
Auxiliary	y Materials	LOLP	S FO	<u>Ac,-c</u>	106	<u>ab, '</u>	-20 gr	11'S 212	ne-KOL	=105A15	Overflush	
र १५४४ ५ ५ ५ ५ ५ ५		ASP		3	۱) بر م	Λ d-					Fluid to Recover 4/50 Total N ²	
in a creation in it.	DURE .	775 P	<u>* / (</u>	Divo	CP.V	((†)					Total CO ₂	
Time	Treating Pr	on avyo. Pai	Surf. Slurry (Slurry Rate	Sur CO, E		CO, Raté	Surface Nº MSC		Comments	
ДМ РМ	Freating Pr	9330(8-F-0)	Pum		BPM		ped.	ВРМ	Pumped	SCFM		
	STP	Annulus	Stage			Stage	Total	ļ	Siage 1		TEST LINES @	
330			1	7					-	<u> </u>	CAG TOATS	
7 75	9570			95		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					04-08 40 S TAGES	
Co X	8695	ربيس	-	10.3	بقف						ORD ON REPER	
	0.590			137	-35			 	 		START JOH	
	8235	** ***		18	33	1			 		20# ON PERFS	
9:55	2580				30			 			3.01 ON PERFS	
13.51	X 100			230	31						STANT SOR	
3 - 5	3340			28:1	4						START 6,07	
9.5	300			384	31			<u> </u>	 		KIAIT. & OF	
19.53	الكرائي			311	_30_		 				SIAH ON PERFS	
175	اع بالم			370	30						STANT FIVSIE	
	19/20			377	OE.	<u> </u>		·			10.0 H ON PERFS	
	3000			117	3/		1				8.0 HON PERFS	
	240			UKC	ZJ	— ~~.					SHUT DOWN	
,					J-7			<u> </u>	 		13,0-0000 PSE	
	ļ	,		 		-			 -		501W - 1590 PST 10mW - 1330 PST	
 	<u> </u>	<u></u>		l	<u> </u>	<u> </u>	J	<u></u>	<u> </u>		*	
		e: Min. 🕰			_Max	स्राउं) Avg	<u>. ಎೆಎ</u>			resentative CALL COLFTIA	
		ting Fluid	روت	<u> </u>	- A		Hate on	Flush	.)	Western Hepre Distribution 🔁		
Avg. In	j. Rate	3:3. C) ^- ^:	I.S.I					al. <u></u>	nismonnon 🐑	The state of the s	
Final S	hul in Pre	ssure _k	300)	_in			_Minutes		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1		num Press	ure	كحر	<u> </u>	, P						
No. 19 Ch	Number	485										



- unbroad fav transmitti	al memo 7671 * of pages > 4
Post-It orang lax management	From DALE
TO DAVE MIS COSINERY	Co.
Dept.	Phone #
	Fax #
Fax#	



OCT 09 192 20:52

PHONE -11/789-0872 784-1818 1-828-755

CANNON WELL SERVICE, INC.

P.Q. \$0x 906 VERNAL, UTAH 84078

ATE/	0-9-92	LEASE	eyot.	e Busi	טק	WELL NO. FE 13-7								
ANK NO. TANK SIZE				Honi					<u>ريزار</u>					
THE'	FLUID LEVEL	FULLED FROM		D LEVEL	BBLS, IN TANK	BBIS, PER RUN	TOT. BBIS.		מועוי			-		
			FT.	IN.				OIL	WATER	MUD	183	Q Va		
7:00	1700	2700				6	6	trace	100%		سنتر	/		
	2100'	3100				ب رو	12		100 70		Ť			
	# 700 L	3700'				4	18		100%		71	ļ 		
	3300'	4324'				G	24		/00/2e		<u>'</u>	वेदर		
<u> </u>	3400'	4324'				5/2	29/2		100%		14	-1		
	3400'	4324'				51/2	35		10074	-	/-	11		
	3600	4324'				5	Yo		100%		11	/ /		
	3600'	4324'			<u> </u>	5	45		100%		11.) I		
	3700'	4334'				4	49		100%		11	<i>) !</i>		
	3700	4384				4	53		100%			11		
	3780	4324'	1			4	5°7		100%			11		
	3700'	4324'				4	41		100%			- 11		
_	3 700'	4324'				¥	65	+ lace	100%			- /1		
	3800'	4324'				Ä	68	,,	100%			11		
	3800	4394'				.3	ור	10	100%			11		
	3860	4324'			"	3	74	10	100%			"		
11:00	3860'	4234				3_	77.	10	100%			/(
<u>7.745</u>	3,755		_											
				<u></u>										
				<u> </u>										
				1							_			
				 		<u>, , , , , , , , , , , , , , , , , , , </u>		-						
						· · · · · · · · · · · · · · · · · · ·								
	1			f	1		l ,							



CANNON WELL SERVICE, INC.


P.O. Box 904 VERNAL, UTAH 84078

SWAB	REPORT

		SWAB REPORT											
DATE /	1)-8-9	- 8-92 LEASE Coyote Busin WELL NO. Feel 13-7											
TANK N			BIZE		BBLS. PER	INCH .	co, rep.						
TIME	FLUID	PULLED	FLUID IN T	LEVEL	BBIS. IN	BBIS. PER RUN	TOT, BELS.		MA CILL		_		
	LEVEL	11/20	FT	IN.				OIL	VATER M	ud bs	£		
						6	(0		100%	794	4		
///30	<i>බ</i> ගය ′	1200				6	12		100%	10	l		
	900'	1900		 		/	18		100%	1,1	T		
	1400	2400		 	 	<u> </u>	1	11.70	10070	· · · · · · · · · · · · · · · · · · ·	1		
	1900	2900				6	74	+		11	7		
	2400.	3400	 	1		f	30	-	100%		4		
	12600'	7600'	\	+		1 0	1 36	4	100%				
`}	2700	37∞`	-	-} -		6	42		100%		[]		
` 	2900	39∞′				<u> </u>	48		100%		1		
 	3∞∞′	4000'				6	54		190%		١,		
 	3000	4000'	+			(0	60		100%		//		
	3∞00	4000				6	66		100%	7	1		
	3000	4000'				lo	72		100%	7	11		
	3/00'	4100'				(0	78	1	100%	17	į		
	3100'	4100'				6	84	-	100%		-		
	3/00	4100'	7								7		
	3/00'	4100'				-	90	+	100%				
	3300	424			 		96	+	100%	1	4		
	3400	4374'		1		4	/02	1	100%		-		
	35∞′	43241		1		 	108	-	100%		-		
	3600	4324		—	1	570	113		10070	- 10	Т		
	₹660	43241		•		5	178	1	100%	10	+		
	3600	4325				5	123		100%	1	4		
	3700'	4324				山松	132	 	100%	7.	┿		
	3700'	4324'				4/2	136		10070	1"	+		
	1700	44341	· · · · · · · · · · · · · · · · · · ·			4:	140		100%	" ()	t		
	3.700	4324'	181 · HT/W			Ч	144		100%	11	r		
	3700	4324'				ય	148		100%	\overline{R}	t		
	3500	4324'		· · · · · · · · · · · · · · · · · · ·		3	151	truck	100%	11	┪		
145	3800	4324	Ì		1	3	154	truce	100%	4	r		



P.O. Box 21017 1601 Lewis Avenue Building Billings, Montana 59104 (406) 259-7860



DIVISION OF OIL GAS & MINING

December 7, 1992

State of Utah Division of Oil, Gas & Mining 355 West North Temple Salt Lake City, UT 84180

Gentlemen:

Enclosed are the Well Completion Reports and the Reports of Water Encountered for the following wells:

Balcron Monument Federal #11-6 NW NW Section 6, T9S, R17E Duchesne County, Utah

Balcron Monument Federal #24-6 SE SW Section 6, T9S, R17E Duchesne County, Utah

Balcron Coyote Federal #13-5 NW SW Section 5, T8S, R25E Uintah County, Utah

Balcron Coyote Federal #13-7 NW SW Section 7, T85, R25E Uintah County, Utah

Federal #13-13 NW SW Section 13, T8S, R24E Uintah County, Utah

Balcron Coyote Federal #33-5 NW SE Section 5, T8S, R25E Uintah County, Utah

Sincerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

Enclosures

		•		OF UTAH								
	D	IVISI	ON OF OIL	, GAS	AND M	INING				S. LEASE D	ERIGNAT	ON AREER ON NOT
										Fed. #U		
WELL CO	MPI FT	ION	OR RECO	MPI ET	ION I	REPORT	Δh	4D I O	G	6. IF INDIA	M. ALLO	TIES OR TRIBE HAM!
1a. TYPE OF WE				7				'''		n/a		
L TYPE OF CO		WELL	K CAS	ه اس	87 LJ	Other	٣.,			7. UNIT AG	reemen'	T NAME
#ET. X	WORK /	7 DEEP-	C Stus C		<u> 4 الرب</u> د .		//	VI 150 1		n/a		*****
2. NAME OF OPERA	TOR	на L	ا ۵۸۵٪ استا	RES	THE STATE OF THE S	POPULA	4		<u> </u>	.1 '		·· · · · -
					Mr.			1	Ų k	B. WELL NO	Coyo	ote Federal
BALCRON	V UIL			**		DEC-1	0 19	92	42,1		•	
P O R	v 2101	7. pi	llinge M	T E010				, L		13-7	007 dK	L, OR WILDCAT
P.O. BO	ELL (Report	location	clearly and in	1 391U	with an	DARFIEVER	Vinc	A(A)		_1		n/Green Rive
At surface	1980'	FSI	660' FWL		\(\alpha\)	DIVISIO	N (JF.		11. stc T.	R., M.,	ON BLOCK THE SEELES
At top prod. la		-			. 71	, GAS &	. AAII	Wilm.		OR ARE	•	
	•									NW SW S	ec. 7	7, T8S, R25E
At total depth												
		•		14. AP		055		CO (OO		12. COUNTY		13. STATE
15. DATE SPUDDED	1 12 2		CHED 17. DAT		47-32		<u></u>	28/92		Uintah		UTAH
9/14/92	1	/22/92	ž .							RT, GB, ETC.)	19.	LLEV. CASINGREAD
9/14/92 20. Total Depte, MD			BACK T.D., MD A	/10/92		TIPLE COMP		480' GI		MOTART TO		CARLE TOOLS
4,500'		4,40			ноw и	ANT			LLED BY	sfc		
24. PRODUCING INTE	TYAL(3), 01	TEIS CO	M FLETION-10P	, 10110M,	NAME ()	O AND TYD)		->	31C		n/a
4,361'-4,3			en River			·						SURTET MADE
,,001 ,,	370	u, c,	C11 1(1 1 C1								j	no
26. TIPE ELECTRIC			н			27	VAS DE	LL CORED Y	TECT NOT	X(Submes analysis		
DIL FD(C-CNL-N	GT_m	11.0 1.06	CBL	9-28	92	DRILL S	STEM TEST Y	(E2 40 (See roverse side	,	
28.	•					ort all strin	ga set	in well)				
CASING SIZE		7. LB./FT.				LE SIZE			MENTING			TWORKL LAFTED
8-5/8"	24		253		1	1/4"		0 sx G				none
5-1/2"	15.	5#	4,500		/-	7/8"		7 sx G				none
		,			ļ		19	5 SX 5	0/50	poz w/ad	<u>a.</u>	
29.		77	NER RECORD		<u> </u>		<u> </u>	30.		*******		
BIZE	TOF (MD		OTTOM (MD)	SACES CE	MENT	SCREEN (W D \	SIZE	-	TUBING REC		
n/a		- 				JUNEAU 1		2-7/8	011- 	4.358	40)	n/a
- 11,7 G	* *************************************							- 2-1/0	^	4,330		π/α
31. PERFORATION RE	CORD (Inter	val, siee	and number)			32.		CID. SHOT	FRACT	URE, CEMEN	T SOU	FF7F TTC
4,361'-4,3	373' :	2 SPF	w/4" cas	ina au	ns	DEPTH II			T			CATERIAL CSED
.,			.,,	,g g	5	4,361		373		00# 20-4		
						1,002		-,0				ed water.
									1 20,5	oo i gais	90.	rea water.
13.						UCTION						
ATE FIRST PRODUCT	KOI		(F (A) GORTZK KOL	lowing, go	is lift, pu	mping-eize	and	type of pun	mp}	W#LL #At	4 f - in)	(Producing or
10/28/92			npıng								<u> </u>	producing
11/16/00	BOURS TI		CHOKE SIZE	TEST I		011-081.		GASNO		WATER-88	•	GAS-OIL RATIO
11/16/92	CASING P		n/a	015-0		5	_ u = -	3.6		4		0.7143
	1 .		24-MOUR RATI	: 1			-ысг. Э	c · 1	WATER-	_	i	LAVITT-API (COMM.)
n/a 4. bisposition of a	n/a		el, vented, etc.)	5		I		.6		4 TEST WITHE	32	
Used for f		/ - - /4	,									•
5. LIST OF ATTACE					-					Scott B	aese	
	•											
d. I hereby certify	That the fe	regoing/	and attached in	formation	is comp	ete and cor	rect a	a determin	ed from	ali available	records	
K	Milin	, X,	hum		CC	pordina	tor	of Env	ronm	ienta l		.2/7/92
SIGNED POP	bio sch	<u> </u>	will	בין דוד	LE ar	<u>id Regu</u>	iato	ry Aff	airs	DAT	ε	

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

and all dril	oortant zones 1-stem tests	of porosity , including d and shut-in p		38. GEOLOGIC MARKERS					
Formation			Description, contents, etc	Description, contents, etc.			Тор		
			No DSTs run.	İ		Meas. Depth	True Vert.Depth		
					See Geologi	Report.			
				·					

BALCRON COYOTE #13-7

43-017-32255

Location: NW SW Section 7, T8S, R25E

Uintah County, Utah

---TIGHT HOLE---

1980' FSL 660' FWL PTD: 4,470' Formation: Wasatch Tonque of Green River

Green River Prospect Elevations: 5519.43' GL

Contractor: Elenburg rig #14

Operator: Balcron/EREC Spud: 9-14-92 @ 12:45 p.m. Casing: 8-5/8" @ 253' 5-1/2" @ 4,500'

9-14-92 TD: 265' (265') Day 1

Formation: Uintah MW 8.3 VIS 27 pH 8

Present Operation: Weld on head.

SPUD well @ 12:45 p.m. 9-13-92. Ran 253', 8-5/8", 24# csg w/regular shoe & 4 centralizers. Cmt csg w/190 sxs Class "G", 2% $CaCl_2 + 1/4$ # Celloflake. Good returns doing job. Cmt to surf.

DC:\$16,090 CC: \$16,090

9-15-92 TD: 1,815' (1,550') Day 2

Formation: Uinta

MW 8.4 VIs 27 pH 11.3

Present Operation: Drilling Tested BOPE & csg to 1500 psi.

DC: \$20,671 CC: \$36,751

9-16-92 TD: 2,146' (331') Day 3 Formation: Green River MW 8.4 VIS 27 pH 10.8

Present Operation: Drilling

Lost full returns @ 2079' - lost 1000 bbls last 24 hrs.

DC: \$7,360 CC: \$44,121

9-17-92 TD: 2,377' (231') Day 4

Formation: Green River MW 8.3+ VIS 27 pH 9.2

Present Operation: Drilling

Drill ahead.

DC: \$4,329 CC: \$48,450

BALCRON COYOTE #13-7

Location: NW SW Section 7, T8S, R25E

Uintah County, Utah

---TIGHT HOLE---

9-18-92 TD: 2,506' (129') Day 5 Formation: Green River MW 8.4 VIS 27 pH 9.7

Present Operation: Drilling

Drill to 2,423'. Trip for bit, work on draw works.

Drill ahead.

CC: \$51,021 DC: \$2,571

9-19-92 TD: 2,975' (469') day 6 Formation: Green River MW 8.4 VIS 27 pH 10.6 Present Operation: Drilling

CC: \$57,414 DC: \$6,393

9-20-92 TD; 3,694' (719') Day 7 Formation: Green River MW 8.4 VIS 27 pH 10.2 Present Operation: Drilling

CC: \$66,886 DC: \$9,472

9-21-92 TD: 4,390' (696') DAy 8 Formation: Green River MW 8.6 VIS 31 pH 10.1 Present Operation: Drilling Mudded up @ 4300 - BHA is the same. DC: \$10,428 CC: \$77,314

9-22-92 TD: 4,500' (110') Day 9 Green River Formation: MW 8.7 VIS 32 pH 10.3 WL 19.6 Present Operation: Logging Stuck logging tool on btm - worked it free. DC: \$5,365 CC: \$82,679

9-23-92 TD: 4,500' (0') Day 10 Formation: Green River Present Operation: Rig Released SWS ran DIL, FDC-CNL-NGT. Ran 104 jts 5-1/2", 15%#/ft, J-55 to 4500' w/float shoe regular collar & 5 centralizers. Cmt'd w/167 sxs Class "G", 4% Thrift Light, 3% salt, 3#/sx CSC, .25#/sx Celocele, 3#/sx Hicele II, tailed w/95 sx 50/50 POZ, 2% gel, 10% salt - good returns. Bumped plug @ 11:30 p.m. Rig Released @ 3 a.m. 9-23-92. DC: \$37,617 CC: \$120,296

WO Completion - Will drop from report until further activity.

BALCRON COYOTE #13-7

Location: NW SW Section 7, T8S, R25E Uintah County, Utah

---TIGHT HOLE---

10-5-92 Completion

MIRU. NU BOP. RU pump & tanks. tIH to PBTD 4460' KB w/5-1/2" scraper & 2-7/8" tbg. Circ hole clean w/110 bbls 2% KCL wtr. Pressure test csg to 1000 psi - OK. SDFN.

DC: \$16,058 CC: \$136,354

10-6-92 Completion

TOOH w/2-7/8" tbg & 5-1/2" csg scraper. RU Schlumberger Wireline to bond log & perforate. Bond log from 4451' KB to 2800' KB & 1957' KB to 1790' KB, cmt top at 1810' KB. TIH w/4" perf gun, perf 4361' KB to 4373' KB w/2 SPF. RD Schlumberger, TIH w/1 jt 2-7/8" tbg, 5-1/2" packer & 140 jts 2-7/8" tbg, set packer @ 4326' KB. RU Western to do break down. Pressure test surface equipment to 4400 psi. Establish rate, pump 25 bbls & 50 balls. Did not ball off. PUmp rate 5.1 BPM @ 2400 psi average. ISIP - 1600, surge balls back. Load used pump for rate, 6 BPM @ 2800 psi, ISIP - 1600 psi. RD Western, RU to swab, tag fluid @ surface. Made 6 swab runs. Swab back 26 bbls wtr. 200 FPH. TOOH w/2-7/8" tbg, 5-1/2 packer. SDFN. Load to recover - 51 bbls.

DC: \$8,309 CC: \$144,663

10-7-92 Completion

Western on location to frac. Pressure surface equipment to 4500 psi - OK. Frac well (See Frac Report). ISIP - 2000 psi; 5 min - 1590 psi; 10 min - 1330 psi; 15 min - 1200 psi. SDF 24 hrs, shut in. Load to recover 531. DC: \$20,953 CC: \$165,616

10-8-92 Completion

Csg Vac. TIH w/1 jt 2-7/8" tbg, 5-1/2" packer, SN & 139 jts 2-7/8" tbg. Tag fill @ 4320' KB. Circ fill out to 4460' KB, circ clean, set packer @ 4326' KB. Made 29 swab runs, recovered 154 bbls fluid, last 2 urns w/trace of oil. Fluid level stable @ 3800' last 2 runs small amount of sand. SDFN. Load to recover 377 bbls. DC: \$1,715 CC: \$167,331

BALCRON COYOTE #13-7

Location: NW SW Section 7, T8S, R25E

Uintah County, Utah

---TIGHT HOLE---

10-9-92 Completion

SICP = 0, SITP = Slight Blow. Fluid level 1700'. Made 17 swab runs. Recovered 77 bbls fluid. 100% water, trace of oil. Fluid level stable at 3800'. Release packer, tag bottom at 4460'KB. TOOH w/2-7/8" tbg & packer. TIH w/1 jt 2-7/8" tbg., 2-7/8" x 4' P.S., S.N., & 140 jts 2-7/8" tbg. ND BOP, Land tbg at 4358'KB. TIH w/2-1/2"x1-1/4"x14-1/2" BHP RHAC, 6 - 1"x25' rods w/2-1/2" guides, 166 - 3/4"x25' rods slick, 1 - 3/4"x4' pony, 1 - 3/4"x2' pony, 1 - 1-1/4"x16' spray metal polish rod. Hang rods off. SI well. SDFN. Load to recover 300 bbls. (See Swab Report Attached.)

DC: \$11,319 CC: \$59,429

10-10-92 Completion

RD, move off. Load to recover 300 bbls.

DC: \$300 CC: \$59,729

DIATOTOM OF OTE' BYO WAD WINTAR

REPORT OF WATER ENCOUNTERED DURING DRILLING - FORM 7 (1/89)



1.	Well name and n API number: 4	number: <u>Balcron Coyot</u> 3-047- 32255	- ce Federal #13-7	DIVISION OF OIL, GAS & MINIT
2.	Well location:	QQ NW SW section7	township 8S ra	ange 25E county Uintah
3.	Well operator: Address:	phone: (406) 259-7860		
4.	Drilling contra	actor:Elenbur	g Exploration,	•
5.	Water encounter	red (continue on reverse s	ide if necessary)	
		Volume (flow rate or water reported during	r head)	
б.	Formation tops:	: See Geologic Repor	rt to be submitt	ed separately.
If re	an analysis has port to this for	s been made of the wa rm.	ter encountered	, please attach a copy of the
Na	me <u>Bobbie Sc</u>		complete to the Signature Sonate December 1	e best of my knowledge. Abie Schuman ber 7,1992

Comments:

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:							
·							
DAWN SCHINDLER			l	. Na8an			
BALCRON OIL			Utah Account N	lo. <u>N9090</u>			
PO BOX 21017							
BILLINGS MT 59104			Report Period (Month/Year) 1 / 93				
BILLINGS AT 55104			Amended Repor	·t			
Well Name Producing		Production Volume		· · · · · · · · · · · · · · · · · · ·			
API Number Entity Location Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)			
BALCRON COYOTE FEDERAL 22-7							
#304732256 711408 08S 25E 7 GRRV							
BALCRON COYOTE FEDERAL 42-6X							
4304732346 11409 08S 25E 6 GRRV	<u> </u>						
BALCRON COYOTE FEDERAL 13-7							
4304732255911412 08S 25E 7 GRRV		1					
FEDERAL 13-13 4304732196 11417 085 24E 13 GRRV							
√4304732196; 11417 08S 24E 13 GRRV BALCRON MONUMENT FEDERAL 11 6 BALCRON MONUMENT FEDERAL 11 BALCRO	 						
그리 그리고 하다 지원 생각이 되었다. 그는 그는 그는 그를 보고 있는 것이 없는 것이 없었다.		-WIW					
#301331362311422 095 17E 6 GRRV BALCRON COYOTE FEDERAL 33-5	 	0.00		•			
→ Your Control of the Control of							
04732257 11424 08S 25E 5 GRRV							
4301331363 11426 09S 17E 6 GRRV	_	- WIW					
BALCRON COYOTE FEDERAL 13-5		7-10-					
4304732261 11427 08S 25E 5 GRRV							
PARIETTE BENCH U #4		WOW					
∠4304715681 99990 9S 19E 7 GRRV	+	00000					
EAST RED WASH 2-5							
√43-047-20252 1112 8S 25E 5 GRRV	+						
BALCRON GOYOTE FED 42-6							
43-047-32258 11386 8S 25E 6							
BALCRON COYOTE FED 33-7							
43-047-32259 99999 8S 25E 7	+						
ALLEN FEDERAL A-1	}						
43-013-15780 1115 9S 17E 5 GRRV							
BALCRON MONUMENT FED 33-6	-	+ WIW					
∠43-013-31361 11438 9S 17E 6 GRRV	TOTAL	<u></u>		L			
Comments (attach separate sheet if necessary)							
I have reviewed this report and certify the information	n to be	accurate and comple	te. Date	*			
ete:							
			Talankana				



EQUITABLE RESOURCES ENERGY COMPANY, BALCRON OIL DIVISION

1601 Lewis Avenue P.O. Box 21017 Billings, MT 59104 (406) 259-7860 FAX: (406) 245-136

March 4, 1993

State of Utah Uintah County 152 East 100 North Vernal, UT 84078

Gentlemen:

Effective March 1, 1993, the name of our company has changed from Balcron Oil Company to Equitable Resources Energy Company, Balcron Oil Division.

Please make the necessary changes in your records and let me know if there is anything else we need to do in order to effect the change for the 1993 Uintah County Business License.

Sincerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

RECEIVE

MAR 0 8 1993

DIVISION OF OIL GAS & MINING

	ll documentation received by the division reg each listed item when completed. Write N/A i		ble.		2-DIS // 8-LIE 3-VLC 4-RJF
□ Chan □ Desi	ge of Operator (well sold) conation of Operator XX	□ Designation of X Operator Name (Agent Change Only		5-RWM 6-ADA
The ope	erator of the well(s) listed below ha	as changed (EFFEC	TIVE DATE:	3-1-93)
TO (new	w operator) EQUITABLE RESOURCES ENERG (address) BALCRON OIL DIVISION PO BOX 21017 BILLINGS MT 59104 phone (406) 259-7860 account no. N 9890			BALCRON OIL PO BOX 2101 BILLINGS MT phone (406 account no.	7 59104) 259–7860
Hell(s) (attach additional page if needed):				
Name:_ Name:_ Name:_ Name:_ Name:_	**ALL WELLS** API: API: API: API: API: API: API: API: API:	Entity: Entity: Entity: Entity: Entity: Entity:	SecIW SecTW SecTW SecTW SecTW	5Rng Le 5Rng Le 5Rng Le 5Rng Le	ease Type: ease Type: ease Type: ease Type:
μ/π 1. <u>lec</u> 2. <u>lec</u> 3.	(Rule R615-8-10) Sundry or other operator (Attach to this form). (Rule R615-8-10) Sundry or other lead (Attach to this form). (Rule R615-8-10) Sundry or other lead (Attach to this form). (Lead 3-8-43) The Department of Commerce has been operating any wells in Utah. Is convers, show company file number: 1346	gal documentation	n has been	received fro	om <u>new</u> operato
<u>*</u> 4.	(For Indian and Federal Wells ONLY (attach Telephone Documentation Fo comments section of this form. Machanges should take place prior to comments and the place prior to compare the comments of the comments and the place prior to compare the comments are placed to the comments of the comments and the comments are placed to the comments are pla	The BLM has to this represent to this represent review completion of steep	peen contactory ort). Mak of Federal	ted regarding e note of and Indian	ng this chan BLM status well operato
	Changes have been entered in the Oil listed above. $(3-19-93)$				for each we
<u>Jec</u> 6.	Cardex file has been updated for eac	h well listed ab	ove. <i>(3-19-9</i> 3	7	
Jec 7.	Well file labels have been updated for the manages have been included on the manages for distribution to State Lands and	or each well lis	ted above.	(3-19-93)	
A	ioi distribution to state Edius and	THE TAX COMMITS 21	UII <i>(3-19-93)</i>		
<u>Lec</u> 9.	A folder has been set up for the Opplaced there for reference during ro	erator Change fi outing and proces	le, and a sing of the	copy of this e original do	page has beencuments.

Routipg:

Divising of Oil, Gas and Mining

OPEP TOR CHANGE HORKSHEET

∉ ER ΛT OR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A item is not applicable.
YTITK	REVIEW.
<i>⊍⁄a</i> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
<u>.1/a</u> 2. Jec	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VE	ERIFICATION (Fee wells only) * 930319 hold bond rider ett. 3-4-93.
<u>ec</u> 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond #5578314 /80,000 Baleron Oil, A Division of Equipola Resources Energy Company.
<u>He</u> 2.	A copy of this form has been placed in the new and former operators' bond files.
<u>√/n</u> 3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
EASE I	NTEREST OHNER NOTIFICATION RESPONSIBILITY
11.93	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
β 2. Sec. C	Copies of documents have been sent to State Lands for changes involving State leases.
ILMINO	
W.W	Note: Market to this form have been microfilmed. Date: Market 30 1993.
ILING	
<u>lec</u> 1.	Copies of all attachments to this form have been filed in each well file.
<u>½</u> 2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
OMMENT	
93030	8 Bhm 15.4. No whenge necessary, they always recognized company name as
U	8. Blm 15.4. No whenge necessary, they always recognized company name as Equilable besources Energy Company, Baleron Oil Division".
F71/34	

Form 3160-5 (June 1990)

UNITED STATES										
DEPARTMENT OF THE INTERIOR										
BUREAU OF LAND MANAGEMENT	٠									

FORM APPROVED	
Budget Bureau No. 1004-0135	
Expires: March 31, 1993	
	۰

		exhites.	141 01 01	1 21, 122	·
5.	Lease	Designat	ion and	Serial	No.

BUREAU OF I	5. Lease Designation and Serial No.	
	U-41377	
	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
Do not use this form for proposals to dr	n/a	
Use "APPLICATION FOI		
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
	THE THE LIVE I	xxxkx Coyote Basin
1. Type of Wall	CONFINENTIA	8. Well Name and No.
Oil Gas Other		Balcron Coyote Federal #13-7
2. Name of Operator		9. API Well No.
EQUITABLE RESOURCES ENERGY CO	MPANY	43-047-32255
3. Address and Telephone No.		10. Field and Pool, or Exploratory Area
P.O. Box 21017; Billings, MT 4. Location of Well (Footage, Sec., T., R., M., or Survey D	59104 (406) 259-7860	Coyote Basin/Green River
NW SW Section 7, T8S, R25E	·	11. County or Parish, State
		Uintah County, UTAH
1980' FSL, 660' FWL		
	s) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	<u> </u>
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	Dispose Water (Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state a	Il pertinent details, and give pertinent dates, including estimated date of start cal depths for all markers and zones pertinent to this work.)*	ing any proposed work. If well is directionally drilled,
give substitute locations and measured and time vern	car deputs for air markers and zones permitting days morely	
Openator plans to recomplete	this well in accordance with the atta	ached recompletion
procedure.	Cill 2 Mel 1 III decol dance with the door	
procedure.		
•	•	
	ACCEPTED BY THE S	TATE
•	ACCEPTED MILITARY	OF
	ACCEPTED DIVISION	INC
		2,404
:	8-77-93	
	DATE	+ kow
•	19/1	<u>Lices</u>
	BY:	
14. I hereby certify that the foregoing is true and correct	Coordinator of Environment	al
Signed Bobbie Schuman	and Regulatory Affairs	Date August 24, 1993
(This space for Federal or State office use)		
•	ents.	Date
Approved by	Title	
••		
•		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Balcron Oil Balcron Coyote Federal #13-7 NW SW Sec 7 TWN 8S RGE 25E Coyote Basin Field Uintah County, Utah

RE-COMPLETION PROCEDURE

- 1.) Move in and rig up completion tools.
- 2.) Release pump, HOT OIL casing-tubing annulus. Trip out of hole with pump and rods.
- 3.) Nipple up BOP.
- 4.) Trip in hole with tubing and tag plug back total depth (4460'KB). Trip out of hole and strap 2-7/8" tubing.
- 5.) Pick up 5-1/2" retrievable bridge plug and trip in hole with tubing.
- 6.) Set bridge plug at 4352'KB (existing perf's @ 4361'-4373'KB).
- 7.) Circulate hole with 2% KCl water. Trip out of hole with tubing.
- 8.) Rig up perforators. Perforate using 4" casing guns from:
 - 4323' 4327' KB (1 shot per foot) 5 holes 4332' - 4343' KB (1 shot per foot) - 12 holes
- 9.) Run in hole with 5-1/2" packer, seat nipple, and tubing.
- 10.) Set packer at **4300'** KB +/-.
- 11.) Rig up pump truck and pump 2% KCl water and break down perforations. Pump 30 balls and ball out perforations. Surge balls back. Pump 10 BBls 2% KCl water to establish injection rate. Shut down and record ISIP.

Balcron Oil Coyote Basin Federal #13-7

Re-Completion Procedure (Cont'd)

- 12.) Swab well down. Swab back load water, continue until you get an oil cut.
- 13.) Unseat packer. Trip out with tubing and packer.
- 14.) Rig up frac crew and **frac well down casing.** Frac procedure and company to be determined. Shut well in and allow fracture to close.
- 15.) Pick up bridge plug retrieve tool, 2 joints 2-7/8" tubing, packer, seat nipple and trip in hole with tubing.
- 16.) Set packer at 4300' KB +/- swab back frac load.
- 17.) Swab well until it cleans up. After well has cleaned up, release packer, trip in hole and wash sand fill down to bridge plug. Release bridge plug, trip out of hole with bridge plug and packer.
- 18.) Trip in hole with production tubing. Run in with rods and pump. Hang well off.
- 19.) Rig down service rig and move off location.

VAK

8-6-93



. -

1601 Lewis Avenue P.O. Box 21017 Billings, MT 59104

August 22, 1993

Office: (406) 259-7860 FAX: (406) 245-1365 [] FAX: (406) 245-1361

AUG 2 6 1993

DIVISION OF THE GAS & MINIMAR

Bureau of Land Management 170 South 500 East Vernal, UT 84078

Gentlemen:

Enclosed are sundry Notices of Intent to Recomplete the following wells:

Federal #13-13 NW SW Section 13, T8S, R24E Uintah County, Utah

Balcron Coyote Federal #13-7 NW SW Section 7, T8S, R25E Uintah County, Utah

Sincerely,

Bobbie Schuman

Coordinator of Operations,

Environmental and Regulatory Affairs

/rs

Enclosures

cc: Utah Division of Oil, Gas and Mining

1 COO.ON 05:6

(3/69)

STATE OF UTAH DIVISION OF UIL, GAS AND MINING ENTITY ACTION FORM - FORM 6

OPERATOR ACCT. NO. H 9890

										SPUQ	EFFECTIVE
ACTION	CURRENT	NEW	APE HUNDER	WELL HAHE	99	SC	WELL!	OCATION RG	COUNTY	DATE	DATE
300E	01300	11500	4304720261	ERW 4-6	5W SE	6	85	25E	Uintah		7/1/93
	OMMENTS:		<u> </u>								•
	Coyot	e Bas	in Unit	·		,	<u> </u>				:
D	11409	11500	4304732346	\$ Coyote . 42-6x	SE NE	6	85	∂5E	Uintah		7/1/93
WELL 2	CONMENTS:	<u></u>									•
				o					_	 	
D	11412	11500	4304732255	Coyote 13-7	NW SW	7	85	25E	Uintah	<u> </u>	7/1/93
WELL 3	COHHERTS:								•		
				ronti					<u>.</u>	·	
\overline{G}	11427	11500	4304732261	Coyote 13-5	5W	5	85	JSE	Uintah	<u> </u>	1/1/9
	CUMMENTS:										
į				Cooks							
D	11417	11500	4304732196	Coyote 13-13	1400 SW	13	85	ZYE	Untah		1/1/9
HELL 5	COMMENTS:										
				• • •	CE		P.				
1	k – Establis B – Add nev	n new entity	s on back of form y for new well (si sting entity (grav one existing enti	in or unit well) ity to another existing entity	SEP 2	0 1993	70	Ì	Dawn Signature Prod. Acc	,	dlex - 1 9-15 =
 	D - Re-assig E - Other (e	m well from Explain in C	omments section)	ity to a new entity Action Code was selected.	DIVISIO OIL, GAS 8	_		-	Title Phone No. (- 7860

Form 3160-5 (June 1990)

UNITED S DEPARTMENT OF BUREAU OF LAND MANAGEMENT

TATES	FORM APPROVED
IMILO	Budget Bureau No. 1004-0135
THE INTERIOR	Expires: March 31, 1993
MANAGEMENT	5. Lease Designation and Serial No.

Expires:	March	31,	199	3
Lessa Designat	ion and	Ser	ial	No.

		_
į	J-41377	

		U-413//
SUNDRY NOTICES A	ND REPORTS ON WELLS	6. If Indian, Allonce or Tribe Name
	or to deepen or reentry to a different reservoir.	
DO NOT USE THIS TOTAL TO PROPOSAIS TO WHITE	DCDMIT " for such proposals	
USE "APPLICATION FOR	PERMIT—" for such proposals	
		7. If Unit or CA, Agreement Designation
SUBMIT I	N TRIPLICATE .	xxxx Coyote Basin Unit
		- XXXXX COYOCE DASTII OIII C
I. Type of Well	i Cinneineola de la colonia	11.
Oil Gas Other	\U\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	8. Well Name and No.
2. Name of Operator	\	Balcron Coyote Federal #13-7
	DANY	9. API Well No.
EQUITABLE RESOURCES ENERGY COM	PANY	43-047-32255
3. Address and Telephone No.	•	10. Field and Pool, or Exploratory Area
P.O. Box 21017; Billings, MT 5	9104 (406) 259-7860	
4. Location of Well (Footage, Sec., T., R., M., or Survey Desc	cription)	Coyote Basin/Green River
NW SW Section 7, T8S, R25E		11. County or Parish, State
		Uintah County, UTAH
1000 ECI 660 EWI		Ciliani Councy; Ciri
1980' FSL, 660' FWL		
12. CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
THE STATE DON(S)		
TYPE OF SUBMISSION	TYPE OF ACTION	ν ,
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
Subsequent Report		Water Shut-Off
	Casing Repair	
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other workover	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all	pertinent details, and give pertinent dates, including estimated date of start	ting any proposed work. It went is an amountary annual
give subsurface locations and measured and true vertical	depths for all markers and zones pertinent to this work.)*	
•		
A workeyer was done on this well	the week of October 7-13, 1993. At	tached is a report
	/	
of the work done.	/	
•	/	
/		
·		
,		
•	• *	
	•	
4	J	
•	•	
	•	
	,	
		•
	•	
	•	· /
	•	. /
		· /
14. I hereby certify that the foregoing is true and correct	Coordinator of Environment	al
Milia Sahumani	and Dogulatory Affairs	al December 22, 1993
Signed Lobbie Schuman	Coordinator of Environment Tide and Regulatory Affairs	al December 22, 1993
Signed Lobbie Schuman	and Dogulatory Affairs	al December 22, 1993
Milia Sahumani	тінь <u>and Regulatory Affairs</u>	December 22, 1993
Signed Subile Schuman (This space for Foderal or State office use)	and Dogulatory Affairs	December 22, 1993
Signed Lobbie Schuman	тінь <u>and Regulatory Affairs</u>	December 22, 1993
Signed Subile Schuman (This space for Foderal or State office use)	тінь <u>and Regulatory Affairs</u>	December 22, 1993

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Equitible Resources Energy Company Balcron Oil Division

WORK-OVER REPORT Balcron Coyote Federal 13-7 NW SW Sec.7, T8S, R25E Uintah County, Utah

October 7-13, 1993

- 1. Add perforations in Green River Formation.
 Perforate at 4327' 4323' @ 1 SPF, total of 12 holes.
 Perforate at 4343' 4332' @ 1 SPF, total of 5 holes.
- 2. Breakdown perforations with 15 BBls of 2% KCl water and 30 ball sealers. Flushed with 26 BBls of 2% KCl water. Balled out with 20 balls on perf's @ 5400 psi.
- 3. Frac Green River Formation.
 Gelled KCl Frac by Western of Vernal, UT.
 4000 gal. 30# Gel Pad. 8200 gal. 2% KCl Gel with 38,900#
 of 16/30 sand. Flushed with 4284 gal of 2% KCl water.
 Avg. Treat Pressure 2029 psi, Max 2650 psi, Min 1950 psi. Avg. Treat Rate 25.3 bpm. ISIP 2200 psi,
 5 min 1540 psi, 10 min 1280 psi, 15 min 1080 psi.
 Well shut in for 11.5 hrs before bringing back fluid.
- 4. Return well to production.

			*		•
(June 1990) DEPART	UNITED STATES MENT OF THE INTERIOR OF LAND MANAGEMENT		AUG 14	1995	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 51 Lease Designation and Serial No.
Do not use this form for proposals	CES AND REPORTS ON ' to drill or to deepen or reen I FOR PERMIT—" for such	try to a di			See attached listing 6. If Indian, Allonce or Tribe Name n/a
SUE	BMIT IN TRIPLICATE	•			7. If Unit or CA, Agreement Designation Coyote Basin Unit
- CI - C	e attached listing				8. Well Name and No. See attached listing
Equitable Resources Energy 3. Address and Telephone No.	y Company, Balcron Oi	1 Divis	ion		9. API Well No. See attached listing
1601 Lewis Avenue; Billing 4. Location of Well (Footage, Sec., T., R., M., or Su			59-7860 3 -047-32	255	10. Field and Pool, or Exploratory Area Coyote Basin/Green River
See attached listing		•	•	•	Uintah County, UT
12. CHECK APPROPRIATE E	BOX(s) TO INDICATE NAT	ŅRE OF	NOTICE, R	EPOR	r, or other data
TYPE OF SUBMISSION	•		TYPE OF AC	TION	

Change of Plans

New Construction

Water Shut-Off

security diagrams | Dispose Water

Non-Routine Fracturing

Conversion to Injection

(Note: Report results of multiple completion on Well

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

x other site

Abandonment

Recompletion

Plugging Back

Casing Repair

Altering Casing

Attached are revised site security diagrams for the wells on the attached list.

ORIGINAL: Bureau of Land Management (Vernal, UT) COPY: Utah Division of Oil, Gas and Mining

Notice of Intent

Subsequent Report

Final Abandonment Notice


<u> </u>		
14. I hereby certify that the foregoing is true and correct Signed Abblil Khuman	Regulatory and Tide Environmental Specialist	Date august 11, 1995
Signed MUCTOR STRUCTURE	Tide City II Official Operators	
(This space for Federal or State Office use)		•
Approved by Conditions of approval, if any:	Title	Date

Sheet1

WELL NAME	FIELD	LOC	ATI	ON		COUNTY		STATUS	FORMATION	LEASE#	API#	FOOTAGES	UNIT
Amerada Guinand #1	Coyote Basin	SW NW	7	88	25E	Uintah	UΤ	WIW	Green River	U-016271-V	43-047-20245	1920' FNL, 550' FWL	Coyote Basin
Balcron Coyote Fed. #12-5	Coyote Basin	SW NW	5	88	25E	Uintah	UT	OSI	Green River	U-063597-A	43-047-32253	1980' FNL, 660' FWL	Coyote Basin
Balcron Coyote Fed. #13-5	Coyote Basin	NW SW	5	88	25E	Uintah	UT	Oil	Green River	U-063597-A	43-047-32261	1605' FSL, 586' FWL	Coyote Basin
Balcron Coyote Fed. #13-7	Coyote Basin	NW SW	7	88	25E	Uintah	UT	Oil	Green River	U-41377	43-047-32255	1980' FSL, 660' FWL	Coyote Basin
Balcron Coyote Fed. #21-5	Coyote Basin	NE NW	5	88	25E	Uintah		Oil	Green River	U-063597-A	43-047-32260	660' FNL, 1980' FWL	Coyote Basin
Balcron Coyote Fed. #22-7	Coyote Basin	SE NW	7	88	25E	Uintah		Oil	Green River	U-41377	43-047-32256	1749' FNL, 1601' FWL	Coyote Basin
Balcron Coyote Fed. #31-7	Coyote Basin	NW NE	7	88	25E	Uintah		Oil	Green River	U-020309-D	43-047-32254	561' FNL, 1977' FEL	· · · · · · · · · · · · · · · · · · ·
Balcron Coyote Fed. #33-5	Coyote Basin	NW SE	5	88	25E	Uintah	UT	Oil	Green River	U-063597-A	43-047-32257	1892' FSL, 2326' FEL	Coyote Basin
Balcron Coyote Fed. #42-6X	Coyote Basin	SE NE	6	88	25E	Uintah	UT	OSI	Green River	U-017439-B	43-047-32346	1987' FNL, 682' FEL	Coyote Basin
Coyote Basin #1-12	Coyote Basin	NE SE	12	88	24E			Oil	Green River	U-58226	43-047-20221	1830' FSL, 1980' FWL	Coyote Basin
Coyote Basin Federal #21-7	Coyote Basin	NE NW		88			_	···		U-41377	43-047-31673		Coyote Basin
Coyote Basin Federal #43-12	Coyote Basin	NE SE	12			Uintah		· · · · · · · · · · · · · · · · · · ·		U-038797	43-047-30943	591' FNL, 1858' FWL	Coyote Basin
East Red Wash Federal #1-12	Coyote Basin	SW NE		88	-	Uintah			Green River	U-038797		2140' FSL, 820' FEL	Coyote Basin
East Red Wash Federal #1-5	Coyote Basin	SE NW		88		Uintah	_	Oil			43-047-20207	1980' FNL, 1980' FEL	Coyote Basin
East Red Wash Federal #1-6	Coyote Basin	SE NE		85		Uintah		I		U-063597-A	43-047-20174	1989' FNL, 2105' FWL	Coyote Basin
East Red Wash Federal #2-5	Coyote Basin	NW NW		8S				Oil		U-017439-B	43-047-20208		Coyote Basin
Federal #13-13					_	Uintah		OTA			43-047-20252	800' FNL, 525' FWL	Coyote Basin
Federal #14-4	Coyote Basin	NW SW	13			Uintah		Oil		U-67208	43-047-32196		Coyote Basin
	Coyote Basin	SW SW		88					Green River	UTU-41376	43-047-15678	510' FSL, 660' FWL	Coyote Basin
TXO Federal #1	Coyote Basin	SW NE	5	88	25E	Uintah	UT	Oil	Green River	U-41376	43-047-31406	1918' FNL, 1976' FEL	Coyote Basin

Dalcron Coyote Federal 13-7 NW SW Sec. 7,T8S,R25E Uintah County, Utah Federal Lease #U-41377

July 5, 1995



FORM_10

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING

355 West North Temple, 3 Tried, Suite 350, Salt Lake City, UT 84180-1203

Page 6 of 11

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH	I ACCOUNT NUMBER	N9890				
BALCRON OIL DIVISION EQUITABLE RESOURCES ENE 1601 LEWIS AVE BILLINGS MT 59102-4126			REPORT PERIOD (MONTH/YEAR): 3 / 96 AMENDED REPORT (Highlight Changes)						
			Alviei	DED REPORT (H	igmigm Changes)				
Well Name	Producing	Well	Days		Production Volumes				
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL			
COYOTE 1-12 4304720221 11500 08S 24E 12	GRRV								
E. RED WASH FED 1-13 4304720222 11500 085 24E 13	GRRV			·					
COYOTE BASIN FED 43-12 4304730943 11500 085 24E 12 COYOTE BASIN FED 12-13	WSTC								
4304731266 11500 08S 24E 13	GRRV								
4304731406 11500 08S 25E 5 TXO FEDERAL 2	GRRV								
04731567 11500 08S 25E 5	GRRV								
4304731673 11500 08S 25E 7 FEDERAL 13-13	WSTC								
4304732196 11500 085 24E 13 COYOTE FEDERAL 12-5 4304732253 11500 085 25E 5	GRRV GRRV	,							
COYOTE FEDERAL 31-7 4304732254 11500 085 25E 7	GRRV					-			
COYOTE FEDERAL 13-7 4304732255 11500 085 25E 7	GRRV								
COYOTE FEDERAL 22-7 4304732256 11500 085 25E 7	GRRV								
COYOTE FEDERAL 33-5 4304732257 11500 085 25E 5	GRRV								
· ·			TOTALS						
COMMENTS:									

Date:

Telephone Number.

Name and Signature:


I hereby certify that this report is true and complete to the best of my knowledge.



1601 Lewis Avenue Billings, MT 59102 Office: (406) 259-7860 FAX: (406) 245-1365 FAX: (406) 245-1361 \[\begin{array}{c} \text{TAS} \\ \text{TAS} \

March 22, 1996

Utah Division of Oil, Gas and Mining 355 West North Temple Salt Lake City, UT 84180



Gentlemen:

Effective April 1, 1996, our name will change from Equitable Resources Energy Company, Balcron Oil Division to Equitable Resources Energy Company. Attached is a sundry notice reflecting that change. To simplify paperwork, I have done one sundry notice with copies for each of the wells. To this letter I have attached a list of our wells for your ease in filing the sundry notices in the well files. This should be sufficient for your purposes.

I have the listings on a spreadsheet so if it would be easier for you to have them sorted differently (for example, the Montana Board of Oil and Gas prefers them sorted by API number), please give me a call at (406) 259-7860, extension 240 and I would be glad to provide a list to your specifications.

This change affects only our company name. The physical locations of our offices and the personnel remain the same. We will be changing our well signs and ask for your patience and cooperation as this will be done as soon as possible but may take some time since we do have so many properties at which to make the change.

If you have any questions, please do not hesitate to give me a call.

Sincerely,

Bobbie Schuman Regulatory and

Environmental Specialist

/hs

Enclosures

	Ş1		OF UTA	AΗ		
NOISIVI	OF	ÕL,	GAS	AND	MINING	

Name & Signature: Bobbie Schuman	Thie: <u>LNV1ronmental</u>	Specialist Date: March 27, 199			
13. Namo & Signaturo: Dobbie Schuman	Regulatory an	d			
·					
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and ghovertical depths for all markers and zones pertinent to this work.) Effective April 1, 1996, operator will c Energy Company, Balcron Oil Division TO: Physical location of the operator remain (406) 259-7860, FAX: (406) 145-1361. Th only. It affects the wells on the attack.	hange its name from Ec Equitable Resources Er s as: 1601 Lewis Avenue is is to report the ope	quitable Resources ergy Company. e: Billings. MT 59102			
Approximate date work will start	Date of work completion Report results of Multiple Completione and COMPLETION OR RECOMPLETION REPORT Must be accompanied by a cement verifical				
Other					
☐ Fracture Treat or Acidize ☐ Vent or Flare ☐ Multiple Completion ☐ Water Shut-Off	☐ Fracture Treat or Acidize ☐ Water Shut-Off ☐ Other ☐ Operator name change				
Convert to Injection Reperforate	Convert to Injection	☐ Vent or Flare			
☐ Change of Plans ☐ Recomplete	☐ Change of Plans	☐ Reperforate			
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing	☐ Pull or Alter Casing			
(Bubent in Duplicate) ☐ Abandon ☐ New Construction	(Submit O	riginal Form Only)			
NOTICE OF INTENT	SUBSEQ	UENT REPORT			
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE BEROE	RT OR OTHER DATA			
QQ, Sec.,T.,R,M.;		State: UTAH			
4. Location of Well Footages: See attached listing		county: See attached list			
3. Address and Telephone Number: 1601 Lewis Avenue Avenue; Billings, MT 5	9102 (406) 259-7860	10. Field and Pool, or Wildcat: See attached listing			
2 Name of Operator: Equitable Resources Energy Company, Balc	ron Oil Division	See attached listing			
1. Type of Well: OIL GAS OTHER: See attached lis	See attached listing				
Do not use this form for proposals to drill new wells, deepen sxisting wells, or to reents Use APPLICATION FOR PERMIT TO DRILL, OR DEEPEN form for su	7. Unit Agreement Name: See attached listing 8. Well Name and Number:				
SUNDRY NOTICES AND REPORTS	n/a				
	See attached listing B. N Indian, Allottee or Tribe Name:				
DIVISION OF OIL, GAS AND MININ	IG	5. Lease Designation and Serial Number:			

(This space for State use only)

03/27/96					EQUITA	SLE REOURS	ES EN	ERGY COMPA	WY, WESTERN REGIO	N-OPERATED WELL	LIST	 	+	
Revised 3/20/96		1				IRRENT)	Т		T	ST = State	. 431		 	
				†	† ` `	T	+	+	· · · · · · · · · · · · · · · · · · ·	FED. OR STATE	 		BLM	
WELL NAME	FIELD	QTR/QTR	SEC.	TWP.	RANGE	COUNTY	ST.	STATUS	ZONE	LEASE NO.	API NUMBER	FOOTAGES	OFFI	UNIT OR WELL
		========	====	====			= ===			· · · · · · · · · · · · · · · · · · ·	ATTROMBER	 	OFFI	-
******************		=======	====	====			===	********					-	
		T		†			+	1					E44526	######################################
A. Anderson State #1-16	Monument Butte	SW SW	16	98	17E	Duchesne	UT	Oil (SI)	Green River	ML-3453	43-013-15582	660' FSL, 560' FWL	 	
Allen Federal #1-6	Monument Butte	SE SE	6	98	17E	Duchesne	UT	ww	Green River	U-020252-A	43-013-15779	660' FSL, 660' FEL		Beluga
Allen Federal #12-5	Monument Butte	SW NW	5	98	17E	Duchesne	UT	Oil	Green River	U-020252	43-013-30611	1980' FNL, 660' FWL	Vemai	Jonah
Allen Federal #12-6	Monument Butte	SW NW	6	98		Duchesne	UΤ	Oil	Green River	U-020252-A	43-013-30582		Vemai	Jonah
Allen Federal #13-6	Monument Butte	NW SW	6	98		Duchesne	UT	ww	Green River	U-020252-A	43-013-30582	1980' FNL, 604' FWL	Vernal	Jonah
Allen Federal #21-5	Monument Butte	NE NW	5	98		Duchesne	UT	Oil	Green River	U-020252-A		2070' FSL, 578' FWL	Vernal	Jonah
Alien Federal #21-6	Monument Butte	NE NW	6	98		Duchesne	UT	Oil	Green River	U-020252-A		660' FNL, 1980' FWL	Vernal	Jonah
Nien Federal #22-6	Monument Butte	SE NW	6	98		Duchesne	UT.	ww	Green River	U-020252-A	43-013-30584	660' FNL, 1980' FWL	Vemai	Jonah
Vien Federal #23-6	Monument Butte	NE SW	6	98		Duchesne	UT	Oil	Green River	U-020252-A		2141' FNL, 1902' FWL	Vernal	Jonah
llen Federal #31-6	Monument Butte	NW NE	6	95		Duchesne		WIW	Green River		43-013-30558	1980' FSL, 1980' FWL	Vernal	Jonah
Men Federal #32-6	Monument Butte	SW NE	6	98		Duchasna	-	Oil	Green River			660' FNL, 1980' FEL	Vernal	Jonah
llen Federal #34-6	Monument Butte	SW SE	6	98		Duchesne	1	Oil	Green River			1980' FNL, 1980' FEL	Vemai	Jonah
llen Federal #41-6	Monument Butte	NE NE	6	98		Duchesne	+	Oil	Green River	U-020252-A U-020252-A	43-013-30586	662' FSL, 2075' FEL	Vemal	Jonah
llen Federal #43-6	Monument Butte	NE SE	6	98		Duchesne		O#	Green River	U-020252-A		661' FNL, 655' FEL	Vernai	Jonah
illen Federal A#1	Monument Butte	NW NW	5	98		Duchesne	+	Oil	Green River	U-020252		1960' FSL, 660' FEL	Vernal	Jonah
merada Guinand #1	Coyote Basin	SW NW	7	85		Uintah	UT.	wiw	Green River	U-016271-V		660' FNL, 660' FWL	Vernal	Jonah
sp Federal #1	Wildcat	C/SW	12	168		Millard	+		Paleozoic	UTU-69960	43-047-20245	1920' FNL, 550' FWL		Coyote Basin
alcron Allen Fed. #31-6G	Monument Butte	NW NE	6	98		Duchesne	UT.	Gas	Green River		40.040.04440	1320' FSL, 1320' FWL	Richfield	<u> </u>
	Coyote Basin	SW NW	5	85		Jintah	-	OSI	Green River	U-020252-A		708' FNL, 2076' FEL	Vernal	
	Coyote Basin	NW SW	5	88		Jintah	-	Oii	Green River			1980' FNL, 660' FWL	1	Coyote Basin
	Coyote Basin	NW SW	7	85	-	Jintah	-	Oil	Green River			1605' FSL, 586' FWL		Coyote Basin
		NE NW	5	88					Green River					Coyote Basin
		SE NW	7	88								660' FNL, 1980' FWL		Coyote Basin
	Coyote Basin	NE SW	5	85			<u> </u>		Green River	1		1749' FNL, 1601' FWL	-	Coyote Basin
	Coyote Basin	NW NE	7	85		Jintah			Green River			2110' FSL, 1980' FWL		Coyote Basin
		NW SE	5	85		Jintah			Green River			561' FNL, 1977' FEL		Coyote Basin
		NW SE	7	8S		Jintah		PND -	Green River	U-063597-A	43-047-32257	1892' FSL, 2326' FEL	Vernal	Coyote Basin

Page 1

	TOR CHANGE HORKSHEET			Routing:	7
	all documentation received by the division ${\bf r}$ each listed item when completed. Write N/A		able.	2-DP#58-FILE 3-VLD (GIL	
□ Cha □ Des	nge of Operator (well sold) ignation of Operator	□ Designation of KKKOperator Name (Agent Change Only	4-RJF 5-IBM 6-FILM	<u> </u>
The o	perator of the well(s) listed below	has changed (EFFEC	TIVE DATE: 4-1	-96)	
TO (ne	ew operator) EQUITABLE RESOURCES ENE 1601 LEWIS AVE BILLINGS MT 59102-4126 phone (406)259-7860 account no. N9890	***	(address) BALC 1601 BILL phon	TABLE RESOURCES ENERGE RON OIL DIVISION LEWIS AVE LINGS MT 59102-4126 e (406)259-7860 unt no. N9890	₹Y C (
	SEE ATTACHED API: 047-32	<i>255</i> Entity:	_SecTwpR	ng Lease Type:	_
Name: Name: Name:	API: API: API: API: API: API: API: API:	Entity: Entity: Entity: Entity:	_ SecTwpRi _ SecTwpRi _ SecTwpRi _ SecTwpRi	ng Lease Type:	
Lee 1.	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other operator (Attach to this form). CRec (Rule R615-8-10) Sundry or other la	11 4-4-96 2, 4-8-96/			
<u>v/</u> 4 3.	The Department of Commerce has been operating any wells in Utah. Is yes, show company file number:	company registered	new operator a with the stat	bove is not currently e? (yes/no) If	/ ?
	(For Indian and Federal Hells ONL (attach Telephone Documentation F comments section of this form. M changes should take place prior to	orm to this repo anagement review of	ort). Make not of Federal and	te of BLM status in I ndian well operator	1 -
Lec 5.	Changes have been entered in the Oil listed above. (4-10-96)	ll and Gas Informa	tion System (Wa	ng/IBM) for each well	,
<u>Le</u> 6.	Pisted above. (4-10-96) Cardex file has been updated for ea	ch well listed abo	ve. (4-11-96)		
LC 7.	Well file labels have been updated	for each well list	ed above. <i>(4-11-9</i>	D)	
uc 8.	Changes have been included on the for distribution to State Lands and	monthly "Operator, the Tax Commissio	Address, and a n. <i>(4-10-96)</i>	Account Changes" memo	ı
<u>lic</u> 9.	A folder has been set up for the Opplaced there for reference during re	perator Change fil outing and process	e, and a copy o	of this page has been inal documents.	ı

Davision of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. entity changes made? (yes/no) (If entity assignments were changed, attach copies form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) # 5578314 (\$80,000) Schoo Ins. Co. (Bond Rider In Progress)
Lec. (Rule R615-3-1) The new operator of any fee lease well listed above has furnishe proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) _ Today's date 19 If yes, division response was made by left dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
\sqrt{MT} . All attachments to this form have been microfilmed. Date: \sqrt{MM} 2D 1991
FILING
1. <u>Copies</u> of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Opera Change file.
COMMENTS
9/00410 Blm/BIA Formal approved not necessary".
WE71/34-35



October 7, 1997

Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: Change of Operator

Duchesne & Vernal Counties, Utah

Dear Mr. Forsman:

Please find attached Sundry Notices and Reports on Wells for Change of Operator, previously operated by Equitable Resources Energy Company for approval.

If you should have questions regarding this matter, please do not hesitate to contact me at the number listed below.


Sincerely,

INLAND PRODUCTION COMPANY

Barrean

Patsy Barreau

/pb encls.



STATE OF UTAH DIVISION OF OIL, GAS AND MINING

		5. Lease Designation and Serial Number:				
	See Attached					
SUNDRY NOTICES AND REPORTS	5. If Indian, Allottee or Tribe Name;					
CONDITI NOTICES AND REPORTS	ON WELLS	n/a⊴				
Do not use this form for proposals to drill new wells, deepen existing wells, or to reen	7. Unit Agreement Name:					
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for a	or proposals.	See Attached				
1. Type of Well: OIL XX GAS OTHER:		8. Well Name and Number:				
	DECENTED	See Attached				
2. Name of Operator:		9. API Well Number: See Attached				
Inland Production Company	0CT <u>1 3 1997</u>	See Accached				
3. Address and Telephone Number:		10, Field and Pool, or Wildcat:				
475 ~ 17th Street, Suite 1500, Den	ver, CO 80202	See Attached				
Footages: See Attached Exhibit						
		County:				
QQ, Sec.,T.,R.M.:		State;				
11. CHECK APPROPRIATE POVES TO INDICATE A	ATURE OF MOTION DEPOS					
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	I, OR OTHER DATA				
NOTICE OF INTENT (Submit in Duplicate)		ENT REPORT				
	(Submit Ork	ginal Form Only)				
☐ Abandon ☐ New Construction	☐ Abandon *					
Repair Casing Pull or Alter Casing	☐ Repair Casing	Pull or Alter Casing				
☐ Change of Plans ☐ Recomplete	☐ Change of Plans	☐ Reperforate				
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection	☐ Vent or Flare				
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize	 ☐ Water Shut-Off				
☐ Multiple Completion ☐ Water Shut-Off	CYOther Change of Opera	_				
☑ Other <u>Change of Operator</u>						
	Date of work completion 9–30	0-97'				
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL					
	COMPLETION OR RECOMPLETION REPORT	AND LOG form.				
	* Must be accompanied by a cement verification	я героп,				
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give vertical depths for all markets and more pertinent to this work.)	re pertinent dates. If well is directionally drilled of	by subsurface locations and manufact and true				
vertical depths for all markers and zones pertinent to this work.)		200 200 200 200 200 200 200 200 200				
Effective September 30, 1997, Inland Producti	on Company will take or	for operations of the				
wells on the attached list. The previous ope	erator was :	ver operations of the				
-		arces Energy Company				
	1601 Lewis Aven	nue "				
	Billings, MT 5	59102				
Effective Sentember 20 1007 Intend Day 1						
Effective September 30, 1997, Inland Producti	on Company is responsib	ole under the terms				
and conditions of the leases for operations of thereof under State of Utah Statewide Bond No.	Onducted on the leased	lands for a portion				
The party of the p	. 4471291.	OCT 1 0 1997				
		00 t T - 1991				
13.	•					
	A. POTTER, ATTORNEY-IN-FA	ot 6/2./cm				
Name & Signature:	THE HALL TONNET-IN-FA	C1 Date: 9/30/97				

his space for State use only)

INLAND

Inland Resources Change of Operator		······································					
WELL NAME	LOGATION						
WELL NAIVE	LOCATION	COUNTY	ST	FIELD NAME	API NUMBER	LEASE NO.	AGEEMENT
AMERADA GUINAND #1	SWNW 7.8S 25E	.i. !UINTAH	UT	COYOTE BASIN	10.077.0007.00		
COYOTE BASIN #1-12:	NESE 128S 24E	UNTAH	UT	COYOTE BASIN	43-047-20245-00	UTU016271V	UTU72085A
COYOTE BASIN #32-6	6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20221-00	UTU58226	UTU72085A
COYOTE BASIN #42-6X	SENE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-31835-00	UTU020309D	UTU72085A
COYOTE BASIN FED. #13-7	NWSW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32346-00	UTU017439B	UTU72085A
COYOTE BASIN FEDERAL #12-13	SWNW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-32255-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #13-5	NWSW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31266-00	117110007074	UTU72085A
COYOTE BASIN FEDERAL #13-13	NWSW 138S 24E	UINTAH	UT	COYOTE BASIN	43-047-32261-00	UTU063597A	UTU72085A
COYOTE BASIN FEDERAL #21-7	NENW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32196-00	UTU67208	UTU72085A
COYOTE BASIN FEDERAL #22-7	SENW 7 9S 25E	UINTAH	UT	COYOTE BASIN	43-047-31673-00 43-047-32256-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #33-5	NWSE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32257-00	UTU41377	UTU72085A
COYOTE BASIN FEDERAL #43-12	NESE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-30943-00	UTU063597A UTU038797	UTU72085A
COYOTE FEDERAL #12-5	SWNW 5 8S 25E	UNITAH	UT	COYOTE BASIN	43-047-32253-00	UTU063597A	UTU72085A
COYOTE FEDERAL #21-5	NENW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32260-00	UTU063597A	UTU72085A
COYOTE FEDERAL #31-7	NWNE 7 8S 25E	UINTAH	iUT	COYOTE BASIN	43-047-32254-00	UTU020309D	UTU72085A UTU72085A
EAST RED WASH #2-5	NWNW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20252-00	UTU063597A	UTU72085A
EAST RED WASH FED. #1-12	SWNE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-20207-00	UTU038797	UTU72085A
EAST RED WASH FED. #4-6	SWSE 6 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-20261-00	UTU020309D	UTU72085A
₽AST RED WASH FEDERA #1-13	NENW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-20222-00	UTU018073	UTU72085A
EAST RED WASH FEDERA #1-5	SENW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20174-00	UTU063597A	UTU72085A
EAST RED WASH FEDERA #1-6	NESE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20208-00	UTU017439B	UTU72085A
FEDERAL #14-4	SWSW 4 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-15678-00	UTU41376	UTU72085A
YTXO FEDERAL #2	SENE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31567-00	UTU41376	UTU72085A
्र 7XO FEDERAL #1 ः ः	SWNE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31406-00	UTU41376	UTU72085A
BALCRON FEDERAL #12-20Y	SWNW 209S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32617-00	UTU64917	101012000A
BALCRON FEDERAL #31-19Y	NWNE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32614-00	UTU65635	
BALCRON FEDERAL #32-19Y	SW NE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32615-00	UTU65635	
BALCRON FEDERAL #42-19Y	SENE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32616-00	UTU65635	
BALCRON FEDERAL #31-5Y	NWNE 5 9S 18E	UINTAH	UT	EIGHT MILE FLAT (Ú)	43-047-32503-00	UTU65970	
BALCRON FEDERAL #11-22Y	NW NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31539-00	UTU66191	<u> </u>
BALCRON FEDERAL #12-22Y	SWNW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31476-00	UTU66191	
BALCRON FEDERAL #22-22Y	SE NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31538-00	UTU76240	
FÉDERAL #1-26	NENW 268S 17E	UINTAH	UT	MONUMENT BUTTE (22)	43-047-31953-00	UTU76240	·
MONUMENT FEDERAL #13-22Y	NW SW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31583-00	UTU76240	
MONUMENT FEDERAL #23-22-8-17	NESW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31702-00	UTU76240	
MONUMENT FEDERAL ##31-22	NW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31587-00	UTU76240	
MONUMENT FEDERAL #32-22-8-17	SW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31586-00	UTU76240	·
MONUMENT FEDERAL #33-22-8-17	NWSE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31588-00	UTU76240	
BALCRON FEDERAL #11-20Y	NW NW 209S 18E	UINTAH	UT		43-047-32712-00	UTU64917	



1-405-62

(406) 259-7860 Telephone (406) 245-1361 Fax

December 10, 1997

Lisha State of Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, UT 84114-5801

Dear Lisha:

Equitable Sale of Utah Properties RE:

Effective September 30, 1997, Equitable Resources Energy Company sold all of its Utah properties to Inland Production Company.

Please feel free to contact me if you require additional information.

Sincerely,

Molly Conrad

Agent for Equitable Resources

Energy Company

/mc



Crazy Mountain Oil & Gas Services P.O. Box 577 Laurel, MT 59044 (406) 628-4164 (406) 628-4165

TO: Lisha St of Wan.

FROM.

Molly Conrad

Crazy Mountain Oil & Gas Services

(406) 628-4164

Pages Attached - Including Cover Sheet 2.

NOTE: Here is the letter you requested. Callief you need anything further.

`FORM 10 *

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

Page 2 of 2

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR	NAME	AND	ADDRESS:
----------	------	-----	----------

C/O CRAZY MTN O&G SVS'S **EQUITABLE RESOURCES ENERGY** PO BOX 577 LAUREL MT 59044

UTAH ACCOUNT NUME	ER:	и9890	

2 / 98 REPORT PERIOD (MONTH/YEAR):

AMENDED REPORT (Highlight Changes)

Well Name	Producing	Well	Days	Production Volumes				
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)		
COYOTE BASIN 21-7-8-25 4304731673 11500 085 25E 7	WSTC			441377	Coyole Basin (CR)			
FEDERAL 13-13 4304732196 11500 085 24F 13 COYOTE FEDERAL 12-5	GRRV			467208	1/			
4304732253 11500 085 25E 5 COYOTE FEDERAL 31-7	GRRV	ļ		4063597A	4			
4304732254 11500 085 25E 7 COYOTE FEDERAL 13-7:	GRRV			40203090	ч			
4304732255 11500 085 25E 7 COYOTE FEDERAL 22-7	GRRV			U41377	4			
OTE FEDERAL 33-5	GRRV			441377	4			
4304732257 11500 085 25E 5 COYOTE FEDERAL 21-5	GRRV			U063597A	"1			
4304732260 11500 085 25F 5 COYOTE FEDERAL 13-5	GRRV			4063597A	q			
4304732261 11500 085 25E 5 MONUMENT FEDERAL 43-10-9-16	GRRV			4063597A	()			
4301331723 12065 09S 16E 10 MONUMENT FEDERAL 34-31-8-16	GRRV							
4301331715 12067 085 16E 31 MONUMENT FEDERAL 33-10-9-16	GRRV							
4301331722 12087 095 16E 10 Coyole Besin 32-6-8-25	GRRV		<u>.</u>					
4304731835 11500 85 756 L	DECRK	WSW	,,	W020309D	"			
			TOTALS					


	:
OMMENTS:	
hereby certify that this report is true and complete to the best of my knowledge.	Date:
ame and Signature:	Telephone Number:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



March 30, 1998

Inland Production Company 475 17th Street, Suite 1500 Denver, Colorado 80202

Re:

Coyote Basin (Green River) Unit

Uintah County, Utah

Gentlemen:

On March 20, 1998, we received an indenture dated December 10, 1997, whereby Equitable Resources Energy Company resigned as Unit Operator and Inland Production Company was designated as Successor Unit Operator for the Coyote Basin (Green River) Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective March 30, 1998. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Coyote Basin (Green River) Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0056 will be used to cover all operations within the Coyote Basin (Green River) Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: District Manager - Vernal (w/enclosure)

Division of Oil, Gas & Mining

Minerals Adjudication Group U-932

File - Coyote Basin (Green River) Unit (w/enclosure)

MMS - Data Management Division

Agr. Sec. Chron/Fluid Chron

U-931:TAThompson:tt:3/30/98

Page No. 1 03/30/98

Well Status Report Utah State Office Bureau of Land Management

Lease

UTU017439B

UTU038797

Api Number Well Name

4304732346 42-6X

4304730943 43-12 COYOTE BASIN

QTR Section Township Range Well Status Operator

EQUITABLE RESOURCES ENERGY CO

EQUITABLE RESOURCES ENERGY CO

** Inspection	Item: UTU72085A					
UTU41376	4304731406 1 COYOTE BASIN FED	SWNE	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41376	4304715678 1 EAST RED WASH	SWSW	4 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304720174 1 EAST RED WASH	SENW	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU016271V	4304720245 1 USA-GUINAND	SWNW	7 T 8S	R25E	WIW	EQUITABLE RESOURCES ENERGY CO
UTU58226	4304720221 1-12 COYOTE BASIN	NESW	12 T 8S	R24E	OSI	EQUITABLE RESOURCES ENERGY CO
UTU038797	4304720207 1-12 EAST RED WASH	SWNE	12 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU018073	4304720222 1-13 E RED WASH FED	NENW	13 T 8s	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU017439B	4304720208 1-6 EAST RED WASH	NESE	6 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU018073	4304731266 12-13 FEDERAL	SWNW	13 T 8s	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732253 12-5 BALCRON COYOTE	SWNW	5 T 8S	R25E	osi	EQUITABLE RESOURCES ENERGY CO
UTU67208	4304732196 13-13	NWSW	13 T 8S	R24E	POW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732261 13-5 BALCRON COYOTE	NWSW	5 T 8\$	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304732255 13-7	NWSW	7 T 8\$	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41376	4304731567 2 COYOTE BASIN FED	SENE	5 T 8S	R25E	TA	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304720252 2-5 EAST RED WASH	พนพน	5 T 8\$	R25E	WIWSI	EQUITABLE RESOURCES ENERGY CO
UTU065397A	4304732260 21-5 BALCRON COYOTE	NENW	5 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304731673 21-7 COYOTE BASIN	NENW	7 T 8\$	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU41377	4304732256 22-7	SENW	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304732254 31-7 BALCRON COYOTE	NWNE	7 T 8S	R25E	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304731835 32-6 COYOTE BASIN	SWNE	6 T 8S	R25E	WSW	EQUITABLE RESOURCES ENERGY CO
UTU063597A	4304732257 33-5 BALCRON COYOTE	NWSE	5 T 8\$	R25€	POW	EQUITABLE RESOURCES ENERGY CO
UTU020309D	4304720261 4-6 EAST RED WASH	SWSE	6 T 8S	R25E	WIW	EQUITABLE RESOURCES ENERGY CO
UTU0174398	4304732258-42-6	SENE	6-T-8 S	R25E	-ABD	

6 T 8\$

12 T 8S

R25E WIW

R24E POW


SENE

NESE

COYOTE BASIN (GREEN RIVER) UNIT

Uintah County, Utah

EFFECTIVE: JULY 1, 1993



24E 25E

- UNIT AGREEMENT (UTU72085A)
2,801.54 ACRES

SECONDARY ALLOCATION FEDERAL 99.3125% STATE .6875% Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing	
1-VEC	6-LEC
2-G1/20	7-KAS
3-D18-	8-SIV
4-VLD	9-FILE
5 JRB	

	ange of Opera	•	old)		ignation of Age erator Name Ch		у .			
The ope	erator of the w	vell(s) listed	l below has	changed, e	ffective: 9-30	D - 97	_			
TO: (ne	ew operator) (address)	INLAND P PO BOX 1 ROOSEVEL			FROM: (old	operator) (addr			Y MTN O&G	CES ENERGY S SVS'S
			435) 722-5 10. N5160	103					T 59044 (406) 628–4 no. N9890	164
WELL	(S) attach additi	onal page if no	eeded:		*COYOTE BA	ASIN (GR	EEN I	RIVER) UN	IIT	
Name:		HED**	API: _ API: _ API:	(47-3)	Entity:	C	T T T T T T T T T	R _ R _ R _ R _ R _ R _ R _ R _ R _ R _	Lease: Lease: Lease: Lease: Lease: Lease: Lease: Lease: Lease:	
<u>Lec</u> 1. <u>Lec</u> 2. <u>Mal</u> 3.	form). (&a (r649-8-10) form). (&a The Depar	e'd 12-10-97 Sundry or Lea'd 10-20-9 tment of C	other legal	document	on has been rectation has been ontacted if the retails the state?	received	from	the NEW ove is not	operator (A	Attach to this
<i>∫</i>	note of BLI	M status in ould ordina	comments	section of	NLY. The BLM this form. BLN the division's	M approva	al of l	Federal an	id Indian v	vell operator
£ 5.	Changes hav (4-3-98) Cardex file	ve been ento * UIC has been u	ered in the (Oua Hm Pro pdated for e	Dil and Ga ર્સ DBલ્ક્રેલ્ ach well li	us Information 4-3-98. sted above. 4-5	System ((3270)	for each v	vell listed a	bove.
£ 7.	Well file lat	els have be	een updated	for each w	ell listed above	2. 4-9-9	18			
<u>2</u> 8.	Changes hav to Trust Lan	e been inclu ds, Soverei	ided on the gn Lands, U	monthly "(JGS, Tax C	Operator, Addre	ess, and A	ccour	t Changes	" memo for	distribution
<i>⊈</i> 9.	A folder has reference du	s been set wring routing	up for the (and proces	Operator (Ssing of the	Change file, ar original docum	nd a copy nents.	of th	is page ha	s been plac	ed there for

FORM 3160-5 (June 1990)

	UNITED STATES
DEPA	MENT OF THE INTERIOR
BUREA	U OF LAND MANAGEMENT

UNITED STATES	
MENT OF THE INTERIOR	
EAU OF LAND MANAGEMENT	

FORM APPROVED


Budget F	Bureau No. 1004-013	reau No. 1004-013
Expires:	March 31, 1993	March 31, 1993

	Deage: Dereit 110, 1004-013
	Expires: March 31, 1993
т	D

Expires: March 31, 1993	
5. Lease Designation and Serial No.	
U-41377	
5. If Indian, Allottee or Tribe Name	

SUNDRY NOTICES AN	U-41377	
Do not use this form for proposals to drill or to dea	6. If Indian, Allottee or Tribe Name NA	
SUBMIT IN	TRIPLICATE	7. If Unit or CA, Agreement Designation COYOTE BASIN
X Oil Gas Well Other 2. Name of Operator		8. Well Name and No. COYOTE FEDERAL 13-7 9. API Well No. 43-047-32255
INLAND PRODUCTION COMPANY 3. Address and Telephone No.	10. Field and Pool, or Exploratory Area COYOTE BASIN	
475 17TH STREET, SUITE 1500, DENVE 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 1980 FSL 0660 FWL NW/SW Section	11. County or Parish, State UINTAH COUNTY, UTAH	
12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION	TO INDICATE NATURE OF NOTICE, REPO	`
Notice of Intent X Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Site Security	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent detail	ls, and give pertinent dates, including estimated date of starting any propos	

Attached please find the site security diagram for the above referenced well.



14. I hereby certify that the foregoing is true and correct Signed	Knight Title	Manager, Regulatory Compliance	Date	10/30/98
(This space for Federal or State office use) Approved by	Title		Date	
Conditions of approval, if any: CC: UTAH DOGM	1 Hie		Daiç	

ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Inland Production Company Site Facility Diagram

Coyote Basin 13-7

NW/SW Sec. 7, T8S, 25E

Uintah County

May 12, 1998



Production Phase:


- 1) Valves 1 and 3 sealed closed
- 2) Valves 2 and 4 sealed open

Sales Phase:

- 1) Valves 3 & 4 sealed closed
- 2) Valves 1 open

Draining Phase:

1) Valve 3 open



Gas Sales Meter

Emulsion Lir	ne
Load Line	<u> </u>
Water Line	
Gas Sales	

FORM 9

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

Ţ	5. LEASE DESIGNATION AND SERIAL NUMBER:					
SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for proposals to drill no	7. UNIT or CA AGREEMENT NAME:					
Do not use this form for proposals to drill no drill horizontal la	Coyote Basin Unit					
OIL WELL	GAS WELL OTHER	8. WELL NAME and NUMBER:				
2. NAME OF OPERATOR: P&M PETROLEUM MA	ANAGEMENT, LLC N/570	9. API NUMBER:				
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:				
518 17TH ST, SUI	TTE 230 DENVER CO ZIE 80202 303 260-7129					
FOOTAGES AT SURFACE:		COUNTY:				
		GOONTY.				
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:	STATE: UTAH				
11. CHECK APPR	PODDIATE BOVES TO INDICATE MATURE OF MOTIOE DED					
TYPE OF SUBMISSION	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	DRI, OR OTHER DATA				
	TYPE OF ACTION ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION				
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON				
8/5/2004	CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR				
0/0/2004	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL				
(Submit Original Form Only)	CHANGE WELL STATUS PRODUCTION (START/RESUME)					
Date of work completion:		WATER SHUT-OFF				
· .	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	OTHER:				
42 DECORUE PROBLEM OF OR						
	OMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volur					
The previous owner was:	P&M Petroleum Management, LLC will take over operations of the	ne above referenced unit.				
The previous owner was.						
	nland Production Company <i>从 5 1 6 0</i>					
	401 17th Street Suite 1000					
Ł	Denver, Colorado 80202					
Effective August 5, 2004, I	P&M Petroleum Management, LLC is responsible under the term	s and conditions of the				
leases for operations cond	ducted on the leased lands or a portion thereof under BLM Bond	No. UT-1005				
issued by RLI Insurance C	ompany.					
Attached is a list of wells in	ncluded in the unit.					
Seller Name: Gary Alsof	Drook 2					
Seller Signature:						
Ocher Olghatute.	Title: had					
F-4 1 & 1	1					
NAME (PLEASE PRINT) Edward No	Bibauer TITLE Managing Mem	ber				
SIGNATURE	8/5/6	4				
	DATE					
(This space for State use only)		DEOEN/ED				
APPRO	OVED 9 130 1 04	RECEIVED				
\mathcal{L}_{o}		OED 2 0 000				

(5/2000)

Carlene Russell

Division of Oil, Gas and Mining (See Instructions on Reverse Side)

Earlene Russell, Engineering Technician

SEP 2 0 2004

COYOTE BASIN UNIT Uintah County, Utah

List of Wells Sorted by API

14.5		1977	WELL	TOWNSHIP	3.9	\$ 10° 10° 10° 10° 10° 10° 10° 10° 10° 10°
	WELLNAME	W API NUMBER	STATUS	/ /RANGE	SECTION	WELL SPOT
1	Federal 14-4	4304715678	PR	8S-25E	4	SWSW
2	East Red Wash 1-5	4304720174	PR	8S-25E	5	SENW
3	East Red Wash Federal 1-12	4304720207	SI	8S-24E	12	SWNE
4	East Red Wash 1-6	4304720208	\$1	8S-25E	6	NESE
5	Coyote Basin 1-12	4304720221	SI	8S-24E	12	NESW
6	East Red Wash 1-13	4304720222	SI	8S-24E	13	NENW
7	Amerada Guinand 1	4304720245	INJ/SI	8\$-25E	7	SWNW
8	East Red Wash 4-6	4304720261	INJ/SI	8S-25E	6	SWSE
9	Coyote Basin 43-12	4304730943	PR	8S-24E	12	NESE
10	Coyote Basin Federal 12-13	4304731266	PR	8S-24E	13	SWNW
11	TXO Federal 1	4304731406	PR	8S-25E	5	SWNE
12	TXO Federal 2	4304731567	SI	8S-25Ë	5	SENE
13	Coyote Basin Federal 21-7	4304731673	PR	8S-25E	7	NENW
14	Coyote Basin 32-6	4304731835	SI	8S-25E	6	SWNE
15	Coyote Basin Federal 13-13	4304732196	PR	8S-24E	13	NWSW
16	Coyote Federal 12-5	4304732253	SI	8S-25E	5	SWNW
17	Coyote Basin Federal 31-7	4304732254	PR	8S-25E	7	NWNE
18	Coyote Basin Federal 13-7	4304732255	PR	8S-25E	7	NWSW
19	Coyote Basin Federal 22-7	4304732256	PR	8S-25E	7	SENW
20	Coyote Basin Federal 33-5	4304732257	SI	8S-25E	5	NWSE
21	Coyote Federal 21-5	4304732260	PR	8S-25E	5	NENW
22	Coyote Basin Federal 13-5	4304732261	PR	8S-25E	5	NWSW
23	Coyote Federl 42-6X	4304732346	INJ	8S-25E	6	SENE
<u> </u>						

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below h	as changed,	effectiv	/e:			8/5/2004		
FROM: (Old Operator):				TO: (New Operator):				
N5160-Inland Production Company				N1570-P&M	-	anagement	LLC	
1401 17th St, Suite 1000					th St, Suite 2	v	,	
Denver, CO 80202					r, CO 80202			
Phone: 1-(303) 893-0102								
	A B7			Phone: 1-(303		OTE DAG	(N.). (ACTION HOUSE)	AT TAXABLED
	A No.			Unit:	COY	OTE BAS	N (GREE	N RIVER)
WELL(S)								
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL
					NO	TYPE	TYPE	STATU
E RED WASH FED 1-12	12			4304720207	11500		1 OW	S
COYOTE 1-12	12	080S	240E	4304720221	11500		1 OW	S
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500		1 OW	P
E RED WASH FED 1-13	13	080S	240E	4304720222	11500		1 OW	S
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500		1 OW	P
FEDERAL 13-13	13	080S	240E	4304732196	11500		1 OW	P
FEDERAL 14-4	04	080S	250E	4304715678	11500		1 OW	P
E RED WASH 1-5	05	080S	250E	4304720174	11500		1 OW	P
ΓXO FEDERAL 1	05	080S	250E	4304731406	11500		1 OW	P
ΓXO FEDERAL 2	05	080S	250E	4304731567	11500		1 OW	TA
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500		1 OW	S
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500		1 OW	S
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	11500		1 OW	P
COYOTE FEDERAL 13-5	05	080S	250E	4304732261	11500		1 OW	P
E RED WASH FED 1-6	06	080S	250E	4304720208	11500		1 OW	S
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500		1 WS	Α
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673	11500		1 OW	P
COYOTE FEDERAL 31-7	07			4304732254	11500		1 OW	P
COYOTE FEDERAL 13-7	07			4304732255	11500		1 OW	P
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500		1 OW	P
		I						

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is comple	eted	com	is	item	isted	each l	after	date	Enter
---	------	-----	----	------	-------	--------	-------	------	-------

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on:
 9/20/2004

3.	The new company was checked on the Department of Commerce, Division of Corporations Database on:	9/30/2004

4. Is the new operator registered in the State of Utah: YES Business Number: 5587520-0161

5. If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on:

6b. Inspections of LA PA state/fee well sites complete on:

n/a

 Federal and Indian Lease Wells: The BLM and or or operator change for all wells listed on Federal or Indian lea 		ed the merg	ger, name change, *** BIA n/a	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operate	or for wells listed on:		***	0.00
 Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells list 		_	n/a	
10. Underground Injection Control ("UIC") T Inject, for the enhanced/secondary recovery unit/project for t			5, Transfer of Authority <u>9/30/2004</u>	to
DATA ENTRY:			***************************************	·
1. Changes entered in the Oil and Gas Database on:	9/30/2004			
2. Changes have been entered on the Monthly Operator Change	ge Spread Sheet on:	9/	30/2004	
3. Bond information entered in RBDMS on:	n/a			
4. Fee/State wells attached to bond in RBDMS on:	n/a			
5. Injection Projects to new operator in RBDMS on:	9/30/2004			
6. Receipt of Acceptance of Drilling Procedures for APD/New	on:	n/a		
FEDERAL WELL(S) BOND VERIFICATION:				
1. Federal well(s) covered by Bond Number:	<u>UT-1005</u>			
INDIAN WELL(S) BOND VERIFICATION:				
1. Indian well(s) covered by Bond Number:	n/a			
FEE & STATE WELL(S) BOND VERIFICATION			-1-	
1. (R649-3-1) The NEW operator of any fee well(s) listed cover	red by Bond Number		n/a	
2. The FORMER operator has requested a release of liability fro	·	n/a		
The Division sent response by letter on:	<u>n/a</u>			
LEASE INTEREST OWNER NOTIFICATION:				
(R649-2-10) The FORMER operator of the fee wells has been of their responsibility to notify all interest owners of this chan		d by a letter t	from the Division	
COMMENTS:				

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING

1.	DJJ		
2.	CDW		

X - Change of Operator (Well Sold)	Opera	ator Name	e Change/Mer	ger	2. 02		
The operator of the well(s) listed below has changed, effective:					6/1/2009		
FROM: (Old Operator):			TO: (New Operator):				
N1570-P&M Petroleum Management			N3580-Advant	age Resourc	ces, Inc.		
518 17th Street, Suite 1105					et, Suite 1700		
Denver, CO 80202			Denver	, CO 80203	3		
Phone: 1 (303) 260-7129			Phone: 1 (303)	831-1912			
CA No.			Unit:		COYOTE BA		
WELL NAME	SEC TW	N RNG	API NO	ENTITY	LEASE TYPE	1	WELL
CDT A TOTAL CALLEY A VOTE				NO		TYPE	STATUS
SEE ATTACHED LIST				<u>.</u>	<u> </u>		
OPERATOR CHANGES DOCUMENTA	ATION						
Enter date after each listed item is completed							
1. (R649-8-10) Sundry or legal documentation wa	s received	from the	FORMER ope	erator on:	5/18/2009		
2. (R649-8-10) Sundry or legal documentation wa	s received	from the	NEW operator	on:	5/18/2009	-	
3. The new company was checked on the Departr	nent of C	ommerce	e, Division of Co	orporations	s Database on:	-	5/28/2009
4a. Is the new operator registered in the State of U	Itah:]	Business Numbe	er:	1249524-0143		
5a. (R649-9-2)Waste Management Plan has been re	ceived on:		reqiested	5/28/2009		-	
5b. Inspections of LA PA state/fee well sites compl			n/a	-			
5c. Reports current for Production/Disposition & S	undries on	ı :	ok	-			
6. Federal and Indian Lease Wells: The BL	M and or	the BIA l	nas approved the	- e merger, na	me change,		
or operator change for all wells listed on Federa	al or India	n leases o	on:	BLM	not yet	BIA	_
7. Federal and Indian Units:							,
The BLM or BIA has approved the successor	of unit op	erator fo	r wells listed on:		not yet	_	
8. Federal and Indian Communization Ag	reements	("CA") :				
The BLM or BIA has approved the operator f					n/a	*	
9. Underground Injection Control ("UIC"							
Inject, for the enhanced/secondary recovery un	it/project i	for the wa	ater disposal wel	ll(s) listed o	n:	5/18/2009	,
DATA ENTRY:							
1. Changes entered in the Oil and Gas Database			5/28/2009	_			
2. Changes have been entered on the Monthly Op	erator Cl	iange Sp	read Sheet on:		5/28/2009	_	
3. Bond information entered in RBDMS on:			n/a	_			
4. Fee/State wells attached to bond in RBDMS on			n/a	_			
5. Injection Projects to new operator in RBDMS of			5/28/2009	_			
6. Receipt of Acceptance of Drilling Procedures for	or APD/N	ew on:		n/a			
BOND VERIFICATION:							
1. Federal well(s) covered by Bond Number:			B004939	-			
2. Indian well(s) covered by Bond Number:			n/a	_			
3a. (R649-3-1) The NEW operator of any state/fe	e well(s) l	isted cov	ered by Bond N	umber	n/a	_	
3b. The FORMER operator has requested a release		•	heir bond on:	n/a	_		
LEASE INTEREST OWNER NOTIFIC							
4. (R649-2-10) The NEW operator of the fee wells				-	om the Division		
of their responsibility to notify all interest owner				n/a			
COMMENTS: per Jerry Calley, P&M, San Jua	in County	wells a	re plugged, he	will submit	reports.		

STATE OF UTAH	FORM 9					
DEPARTMENT OF NATURAL RESOURCES						
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:					
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:					
1. TYPE OF WELL OIL WELL OTHER Injectors	8. WELL NAME and NUMBER:					
2. NAME OF OPERATOR: ADVANTAGE RESOURCES, INC BLM Bond # 800 4939	9. API NUMBER:					
3. ADDRESS OF OPERATOR: 1775 Sherman St., # 1700 CITY Denver STATE CO ZIP 80203 PHONE NUMBER: (303) 831-1912	10. FIELD AND POOL, OR WILDCAT: Coyote Basin					
4. LOCATION OF WELL FOOTAGES AT SURFACE: **M3580** **TOTAGES AT SURFACE:** **TOTAGES AT SURFA	соилту: Uintah					
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA					
TYPE OF SUBMISSION TYPE OF ACTION						
C ACIDITE DEEDEN	REPERFORATE CURRENT FORMATION					
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE ACIDIZE FRACTURE TREAT	SIDETRACK TO REPAIR WELL					
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON					
4/1/2009 CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR					
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE					
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL					
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF					
Date of work completion:						
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:					
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION						
P&M Petroleum Managment, LLC N/570 518 17th Street, Suite 1105 Denver, CO 80202 Name(Please Print) Signature Jerry Calley Date 5/14/09 See Attached Exhibit A for a list of wells in Coyote Basin Field (Field # 570)						
NAME (PLEASE PRINT) Brad C. Ackman TITLE VP						

(This space for State use only)

APPROVED 5138109

Carline Russell

Division of Oil, Gas and Mining (See Instructions on Reverse Side)

Earlene Russell, Engineering Technician

RECEIVED MAY 18 2009

DIV. OF OIL, GAS & MINING

Exhibit A - Current Wells in Coyote Basin Field (570)


				· · · · · · · · · · · · · · · · · · ·				_	т—					
FEDERAL 14-4	04	080S	250E	4304715678	11500	Federal	ow	S		COYOTE BASIN (GRRV)	swsw	GRRV	U-41376	N1570
E RED WASH 1-5	05	080S	250E	4304720174	11500	Federal	ow	S		COYOTE BASIN (GRRV)	SENW	GRRV	U-063597	N1570
E RED WASH FED 1-12	12	080S	240E	4304720207	11500	Federal	ow	S		COYOTE BASIN (GRRV)	SWNE	GRRV	U-038797	N1570
E RED WASH FED 1-6	06	080S	250E	4304720208	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NESE	GRRV	U-017439-B	N1570
COYOTE 1-12	12	080S	240E	4304720221	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NESW	GRRV	U-58226	N1570
E RED WASH FED 1-13	13	080S	240E	4304720222	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NENW	GRRV	U-018073	N1570
AMERADA GUINAND 1	07	080S	250E	4304720245	11500	Federal	WI	A		COYOTE BASIN (GRRV)	SWNW	GRRV	U-016271-V	N1570
EAST RED WASH FED 4-6	06	080S	250E	4304720261	11500	Federal	WI	A		COYOTE BASIN (GRRV)	SWSE	GRRV	U-020309	N1570
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NESE	WSTC	U-38797	N1570
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500	Federal	ow	s		COYOTE BASIN (GRRV)	SWNW	GRRV	U-018073	N1570
TXO FEDERAL 1	05	080S	250E	4304731406	11500	Federal	ow	S		COYOTE BASIN (GRRV)	SWNE	GRRV	U-41376	N1570
TXO FEDERAL 2	05	080S	250E	4304731567	11500	Federal	OW	TA		COYOTE BASIN (GRRV)	SENE	GRRV	U-41376	N1570
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NENW	WSTC	U-41377	N1570
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500	Federal	ws	A		COYOTE BASIN (GRRV)	SWNE	DGCRK	U-020309D	N1570
FEDERAL 13-13	13	080S	240E	4304732196	11500	Federal	OW	S		COYOTE BASIN (GRRV)	NWSW	GRRV	U-67208	N1570
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500	Federal	ow	S		COYOTE BASIN (GRRV)	SWNW	GRRV	U-063597-A	N1570
COYOTE FEDERAL 31-7	07	080S	250E	4304732254	11500	Federal	ow	s	<u> </u>	COYOTE BASIN (GRRV)	NWNE	GRRV	U-020309-D	N1570
COYOTE FEDERAL 13-7	07	080S	250E	4304732255	11500	Federal	OW	P		COYOTE BASIN (GRRV)	NWSW	GRRV	U-41377	N1570
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500	Federal	OW	S	į	COYOTE BASIN (GRRV)	SENW	GRRV	U-41377	N1570
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500	Federal	ow	S		COYOTE BASIN (GRRV)	NWSE	GRRV	U-063597A	N1570
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	11500	Federal	ow	s	<u></u>	COYOTE BASIN (GRRV)	NENW	GRRV	U-063597A	N1570
COYOTE FEDERAL 13-5	05	080S	250E	4304732261	11500	Federal	ow	s		COYOTE BASIN (GRRV)	NWSW	GRRV	U-063597A	N1570
COYOTE FED 42-6X	06	080S	250E	4304732346	11500	Federal	WI	Α		COYOTE BASIN (GRRV)	SENE	GRRV	U-017439-B	N1570

Sundry Number: 20396 API Well Number: 43047322550000

			FORM 9		
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9		
	ces NING	5.LEASE DESIGNATION AND SERIAL NUMBER: U-41377			
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for propo bottom-hole depth, reenter plu DRILL form for such proposals	7.UNIT or CA AGREEMENT NAME: COYOTE BASIN (GRRV)				
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: COYOTE FEDERAL 13-7		
2. NAME OF OPERATOR: ADVANTAGE RESOURCES INC			9. API NUMBER: 43047322550000		
3. ADDRESS OF OPERATOR: 1775 Sherman St 1700 , Den		DNE NUMBER: 1912 Ext	9. FIELD and POOL or WILDCAT: COYOTE BASIN		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1980 FSL 0660 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 07	IP, RANGE, MERIDIAN: 7 Township: 08.0S Range: 25.0E Meridian	: S	STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT	, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR		
☐ NOTICE OF INTENT	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME		
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE		
✓ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION		
Date of Work Completion: 11/10/2011	OPERATOR CHANGE	☐ PLUG AND ABANDON	□ PLUG BACK		
, ,	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	_				
·	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	WATER DISPOSAL		
Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Production Facility Plat		
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all pe Updated Production Facility		volumes, etc.		
			Accepted by the		
			Utah Division of il, Gas and Mining		
			•		
		FUI	R RECORD ONLY		
NAME (PLEASE PRINT) Brian W. Ackman	PHONE NUMBER 303 831-1912	TITLE VP Exploration			
SIGNATURE N/A		DATE 11/15/2011			

PRODUCTION FACILITY DIAGRAM

COYOTE FEDERAL #13-7 NW SW Sec. 7-8S-25E UINTAH COUNTY, UTAH FEDERAL LEASE: U-41377



PLAN LOCATED AT: ADVANTAGE'S DENVER OFFICE & 42-6X INJECTION FACILITY = Oil Flow Direction

← = Gas Flow Direction

= Water Flow Direction

VALVE DESCRIPTION							
VALVE #	DURING PROD.	DURING SALES					
1	OPEN	CLOSED					
2	CLOSED	OPEN					
3	CLOSED	CLOSED					
4	OPEN	OPEN					




ADVANTAGE RESOURCES, INC.

1775 Sherman Street, Suite 1700 Denver, CO. 80203 303-831-1912 December 2011 Sundry Number: 20396 API Well Number: 43047322550000

			FORM 9		
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9		
	ces NING	5.LEASE DESIGNATION AND SERIAL NUMBER: U-41377			
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for propo bottom-hole depth, reenter plu DRILL form for such proposals	7.UNIT or CA AGREEMENT NAME: COYOTE BASIN (GRRV)				
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: COYOTE FEDERAL 13-7		
2. NAME OF OPERATOR: ADVANTAGE RESOURCES INC			9. API NUMBER: 43047322550000		
3. ADDRESS OF OPERATOR: 1775 Sherman St 1700 , Den		DNE NUMBER: 1912 Ext	9. FIELD and POOL or WILDCAT: COYOTE BASIN		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1980 FSL 0660 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSW Section: 07	IP, RANGE, MERIDIAN: 7 Township: 08.0S Range: 25.0E Meridian	: S	STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT	, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR		
☐ NOTICE OF INTENT	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME		
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE		
✓ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION		
Date of Work Completion: 11/10/2011	OPERATOR CHANGE	☐ PLUG AND ABANDON	□ PLUG BACK		
, ,	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	_				
·	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON		
DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	WATER DISPOSAL		
Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Production Facility Plat		
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all pe Updated Production Facility		volumes, etc.		
			Accepted by the		
			Utah Division of il, Gas and Mining		
			•		
		FUI	R RECORD ONLY		
NAME (PLEASE PRINT) Brian W. Ackman	PHONE NUMBER 303 831-1912	TITLE VP Exploration			
SIGNATURE N/A		DATE 11/15/2011			

PRODUCTION FACILITY DIAGRAM

COYOTE FEDERAL #13-7 NW SW Sec. 7-8S-25E UINTAH COUNTY, UTAH FEDERAL LEASE: U-41377



PLAN LOCATED AT: ADVANTAGE'S DENVER OFFICE & 42-6X INJECTION FACILITY = Oil Flow Direction

← = Gas Flow Direction

= Water Flow Direction

VALVE DESCRIPTION							
VALVE #	DURING PROD.	DURING SALES					
1	OPEN	CLOSED					
2	CLOSED	OPEN					
3	CLOSED	CLOSED					
4	OPEN	OPEN					



ADVANTAGE RESOURCES, INC.

1775 Sherman Street, Suite 1700 Denver, CO. 80203 303-831-1912 December 2011

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

X - Change of Operator (Well Sold)	Operator Name Change/Merger								
The operator of the well(s) listed below has change	8/1/2012								
FROM: (Old Operator):			TO: (New Operator):						
N3580- Advantage Resources, Inc.	N3580- Advantage Resources, Inc.								
1775 Sherman Street, Suite 1700			N3890- Wold (139 West 2nd S	-					
Denver, CO 80203			Casper, WY 82	•					
[1 '							
Phone: 1 (303) 831-1912	Phone: 1 (307)	265-7252							
CA No.	Unit:		Coyote Basi	n (GRRV)					
WELL NAME	SEC TWN	RNG	API NO	ENTITY	LEASE TYPE		WELL		
				NO		TYPE	STATUS		
See Attached List		<u> </u>							
OPERATOR CHANGES DOCUMENT. Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was		rom the	FORMER ope	rator on:	9/24/2012				
2. (R649-8-10) Sundry or legal documentation wa	s received f	rom the	NEW operator	on:	9/24/2012	•			
3. The new company was checked on the Depart	ment of Cor	nmerce	, Division of Co	orporations	Database on:	•	10/15/2012		
4a. Is the new operator registered in the State of U			Business Numb		8351065-0143				
5a. (R649-9-2)Waste Management Plan has been re			N/A			-			
5b. Inspections of LA PA state/fee well sites compl	lete on:		N/A	•					
5c. Reports current for Production/Disposition & S	undries on:		10/15/2012	_					
6. Federal and Indian Lease Wells: The BL	M and or th	e BIA h	nas approved the	merger, na	me change,				
or operator change for all wells listed on Federa	al or Indian	leases o	on:	BLM	Not Yet	BIA			
7. Federal and Indian Units:					•				
The BLM or BIA has approved the successor	of unit ope	rator for	r wells listed on:		Not Yet				
8. Federal and Indian Communization Ag	_					•			
The BLM or BIA has approved the operator f					N/A				
9. Underground Injection Control ("UIC"				orm 5 Tran		ity to			
Inject, for the enhanced/secondary recovery un	•	-	•			10/3/2012			
DATA ENTRY:	nu project ro			(0)					
1. Changes entered in the Oil and Gas Database	on:		10/15/2102						
 Changes have been entered on the Monthly Op 		ange Sp		•	10/15/2012				
3. Bond information entered in RBDMS on:		-	N/A			•			
4. Fee/State wells attached to bond in RBDMS on	ı :		N/A	•					
5. Injection Projects to new operator in RBDMS of	on:		N/A	_					
6. Receipt of Acceptance of Drilling Procedures for	or APD/Nev	w on:		10/3/2012					
BOND VERIFICATION:									
1. Federal well(s) covered by Bond Number:			UTB000513	_					
2. Indian well(s) covered by Bond Number:				-					
3a. (R649-3-1) The NEW operator of any state/fe	e well(s) list	ted cove	ered by Bond Nu	ımber	N/A				
3b. The FORMER operator has requested a release	e of liability	from th	neir bond on:	N/A		•			
LEASE INTEREST OWNER NOTIFIC 4. (R649-2-10) The NEW operator of the fee wells of their responsibility to notify all interest owner	has been co			y a letter fro	om the Division				
COMMENTS:	-								

Advantage Resources, Inc. (N3580) to Wold Oil Properties, Inc. (N3890) Effective

	1	T					1	
							Well	Well
Well Name	Sec	TWP	RNG	API Number	Entity	Lease	Туре	Status
AMERADA GUINAND 1	07	080S	250E	4304720245	11500	Federal	WI	Α
EAST RED WASH FED 4-6	06	080S	250E	4304720261	11500	Federal	WI	Α
COYOTE BASIN 32-6-8-25	06	080S	250E	4304731835	11500	Federal	WS	Α
COYOTE FED 42-6X	06	080S	250E	4304732346	11500	Federal	WI	Α
COYOTE BASIN 7-7	07	080S	250E	4304752111		Federal	OW	APD
COYOTE BASIN 11-7	07	080S	250E	4304752112		Federal	OW	APD
COYOTE BASIN 2-13	13	080S	240E	4304752113		Federal	OW	APD
COYOTE BASIN 6-13	13	080S	240E	4304752114		Federal	OW	APD
COYOTE BASIN FED 14-13	13	080S	240E	4304752115		Federal	OW	APD
FEDERAL 14-4	04	080S	250E	4304715678	11500	Federal	OW	Р
COYOTE BASIN 43-12-8-24	12	080S	240E	4304730943	11500	Federal	OW	Р
COYOTE BASIN FED 12-13	13	080S	240E	4304731266	11500	Federal	OW	Р
TXO FEDERAL 1	05	080S	250E	4304731406	11500	Federal	OW	Р
COYOTE BASIN 21-7-8-25	07	080S	250E	4304731673		Federal	OW	Р
FEDERAL 13-13	13	080S	240E	4304732196	11500	Federal	OW	Р
COYOTE FEDERAL 31-7	07	080S	250E	4304732254	11500	Federal	OW	Р
COYOTE FEDERAL 13-7	07	080S	250E	4304732255	11500	Federal	OW	Р
COYOTE FEDERAL 22-7	07	080S	250E	4304732256	11500	Federal	OW	Р
COYOTE FEDERAL 33-5	05	080S	250E	4304732257	11500	Federal	OW	Р
COYOTE 1-12	12	080S	240E	4304720221	11500	Federal	OW	PA
E RED WASH 1-5	05	080S	250E	4304720174	11500	Federal	OW	S
E RED WASH FED 1-12	12	080S	240E	4304720207	11500	Federal	OW	S
E RED WASH FED 1-6	06	080S	250E	4304720208	11500	Federal	OW	S
E RED WASH FED 1-13	13	080S	240E	4304720222	11500	Federal	OW	S
COYOTE FEDERAL 21-5	05	080S	250E	4304732260	L	Federal	OW	S
COYOTE FEDERAL 13-5	05	080S	250E	4304732261		Federal	OW	S
TXO FEDERAL 2	05	080S	250E	4304731567	11500	Federal	OW	TA
COYOTE FEDERAL 12-5	05	080S	250E	4304732253	11500	Federal	OW	TA

STATE OF UTAH

SEP 2 4 2012

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL. GAS AND MINING

.	DIVIDION OF OIL, OAO AND W	DIV OF OIL, GAS & MINING	See Exhibit B
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill ne drill horizontal lat	7. UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL OIL WELL	WELL NAME and NUMBER: See Exhibit B		
2. NAME OF OPERATOR:	NO NOOO		9. API NUMBER:
WOLD OIL PROPERTIES, 3. ADDRESS OF OPERATOR:	INC. N3890	PHONE NUMBER:	Exhibit B
139 W. 2ND ST, STE 200 CHY	10. FIELD AND POOL, OR WILDCAT: COYOTE BASIN		
4. LOCATION OF WELL FOOTAGES AT SURFACE:	COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHIP, RANG	E, MERIDIAN: SEE EXH E	3	STATE: UTAH
11. CHECK APPR	OPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT. OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	, or o many
✓ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
81112012	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR
	CHANGE_TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
Signature Name (Please Print) ADVANTAGE RESOURCES 1775 Sherman St, #1700, D (303) 831-1912 N 3580	Title: X Scan W. Ackm Date: X 9/ S, INC. #N3580	certinent details including dates, depths, volume	es, etc.
NAME (PLEASE PRINT) KEVIN NEE	NAN	TITLE CORPORATE SE	CRETARY
SIGNATURE		DATE 9/18/1	2
		The state of the s	DDOVED

(This space for State use only)

APPROVED

OCT 15 2012

Exhibit B - Wells

ARI Lease No.

State/BLM_

							AIN LOUGO HOL	
Well Name	API Number	Twp	Rng	<u>Sec</u>	<u>Desc</u>	<u>Status</u>	80039-	<u>Lease No.</u>
Coyote Basin 43-12-8-24	43 047 30943	8 S	24 E	12	NE SE	P	80039-003-01	UTU 038797
Coyote Basin Fed 12-13	43 047 31266	8 S	24 E	13	SW NW	P	80039-004-01	UTU 018073
Federal 13-13	43 047 32196	8 S	24 E	13	NW SW	Р	80039-007-01	UTU 67208
Coyote Federal 21-5	43 047 32260	85	25 E	5	NE NW	OGW	80039-009-01	UTU 063597A
E Red Wash 1-5	43 047 20174	8 S	25 E	5	SE NW	ogw	80039-009 - 01	UTU 063597A
TXO Federal 1	43 047 31406	8 S	25 E	5	SW NE	P	80039-008-01	UTU 41376
Coyote Federal 33-5	43 047 32257	85	25 E	5	NW SE	P	80039-009-01	UTU 063597A
Coyote Federal 13-5	43 047 32261	85	25 E	5	NW SW	OGW	80039-009-01	UTU 063597A
Coyote Federal 31-7	43 047 32254	8 S	25 E	7	NW NE	SI	80039-013-01	UTU 020309D
Coyote Basin 21-7-8-25	43 047 31673	85	25 E	7	NE NW	Р	80039-012-01	UTU 41377
Coyote Federal 22-7	43 047 32256	8 S	25 E	7	SE NW	Р	80039-012-01	UTU 41377
Coyote Federal 13-7	43 047 32255	85	25 E	7	NW SW	Р	80039-012-01	UTU 41377
E Red Wash Fed 1-12	43 047 20207	85	24 E	12	SW NE	SI	80039-003-01	UTU 038797
Coyote 1-12	43 047 20221	85	24 E	12	NE SW	P&A		UTU 58226
E Red Wash Fed 1-13	43 047 20222	8 \$	24 E	13	NE NW	SI	80039-004-01	UTU 018073
Federal 14-4	43 047 15678	8 S	25 E	4	SW SW	P	80039-008-01	UTU 41376
Coyote Federal 12-5	43 047 32253	8 S	25 E	5	SW NW	SI	80039-009-01	UTU 063597A
TXO Federal 2	43 047 31567	85	25 E	5	SE NE	SI	80039-008-01	UTU 41376
E Red Wash Fed 1-6	43 047 20208	85	25 E	6	NE SE	SI	80039-011-01	UTU 017439B
Coyote Fed 42-6X	43 047 32346	8 \$	25 E	6	SE NE	lnj	80039-011-01	UTU 017439B
E Redwash 4-6	43 047 20261	8 S	25 E	6	SW SE	Inj	80039-013-01	UTU 020309D
Amerada Guinand 1	43 047 20245	8 \$	25 E	7	SW NW	Inj	80039-016-01	UTU 016271V
Coyote Basin 32-6	43 047 31835	8 S	25 E	6	SW NE	Wtr	80039-013-01	UTU 020309D
Permitted Wells						!		
Coyote Basin 7-7	43 047 52111	8 S	25 E	7		Permit		UTU 020309D
Coyote Basin 11-7	43 047 52112	8 S	25 E	7		Permit		UTU 41377
Coyote Basin 6-13	43 047 52114	8 S	24 E	13		Permit		UTU 018073
Coyote Basin 2-13	43 047 52113	85	24 E	13		Permit		UTU 038797
Coyote Basin Fed 14-13	43 047 52115	8 S	24 E	13		Permit		UTU 67208
						!		